



SUSQUEHANNA RIVER BASIN COMMISSION

4423 North Front Street • Harrisburg, Pennsylvania 17110-1788

(717) 238-0423 Phone • (717) 238-2436 Fax

www.srbc.gov

APPROVAL OF COVERAGE UNDER GENERAL PERMIT GP-02 GROUNDWATER WITHDRAWALS FOR EMERGENCY USES OR MAINTENANCE ACTIVITIES

General Permit Approval of Coverage No. GP-02-xxxxxxx

Pursuant to 18 C.F.R. § 806.17(c)(4) and in consultation with technical staff, the Executive Director of the Susquehanna River Basin Commission (Commission) hereby issues approval of coverage under General Permit GP-02 Groundwater Withdrawals for Emergency Uses or Maintenance Activities (General Permit).

The project sponsor is approved according to the table below in accordance with the limitations and monitoring requirements and other conditions set forth herein.

Project Information and Approved Withdrawal Limitations		
Project Sponsor:		
Facility:		
Approval Type:	GP-02	
Approved Water Use Purpose:		
Municipality:		
County:		
State:		
Project Coordinates (degrees)*:	Lat: 00.000000 N	Long: 00.000000 W
30-Day Average Withdrawal (mgd):		
Maximum Instantaneous Withdrawal Rate (gpm):		
mgd – million gallons per day gpm – gallons per minute		
* Specific location information concerning discrete water-related project features has been withheld for security reasons.		

The approval granted by coverage under the General Permit is subject to the following conditions, in addition to those in the General Permit:

1. The project sponsor shall comply with the terms and conditions of the General Permit for an emergency or maintenance activity for all groundwater withdrawals.
2. If a conflict exists between the requirements in the Notice of Intent (NOI) or its supporting documents and the terms and conditions of the General Permit, the terms and conditions of the General Permit shall prevail.

Project Sponsor
Facility:

General Permit No. GP-02-xxxxxxx

3. The project sponsor's failure to comply with the terms or conditions of the General Permit or operation that is determined to be inconsistent with the NOI is grounds for the Commission to take enforcement action pursuant to 18 C.F.R. Part 808, and/or to revoke coverage under this General Permit, pursuant to 18 C.F.R. § 806.17.

4. This project is approved for inclusion in the Commission's Comprehensive Plan for the Water Resources of the Susquehanna River Basin.

5. The metering description submitted with the NOI is approved and made a part of this approval.

6. The project sponsor may submit a Notice of Termination if coverage under the General Permit is no longer needed.

This Approval for Coverage under GP-02 is issued by the Executive Director pursuant to the authority set forth in 18 C.F.R. § 806.17(c)(4).

APPROVAL OF COVERAGE TO WITHDRAW WATER UNDER THIS GENERAL PERMIT IS AUTHORIZED. WHEN THE GENERAL PERMIT IS RENEWED, REISSUED, OR MODIFIED, THE FACILITY OR ACTIVITY COVERED BY THE APPROVAL FOR COVERAGE MUST COMPLY WITH THE FINAL RENEWED, REISSUED, OR MODIFIED GENERAL PERMIT.

This Approval for Coverage under GP-02 is issued by:

Dated: _____

Andrew D. Dehoff, Executive Director