SUMMARY OF THE OPERATION OF THE CONOWINGO DAM FISH COLLECTION FACILITY DURING THE SPRING OF 1975

by

Dennis G. Buchanan, B.S. Ichthyological Associates, Inc.

P. O. Box 12

Drumore, Pennsylvania 17518

Prepared For
Philadelphia Electric Company

ICHTHYOLOGICAL ASSOCIATES, INC.

EDWARD C. RANEY, Ph.D., DIRECTOR

301 Forest Drive, Ithaca, N.Y. 14850

FISH FACILITY OPERATION REPORT 4

JULY 1975

TABLE OF CONTENTS

	Page
INTRODUCTION	1
METHODS	2
Schedule of Operation	2
Attraction Velocity	2
Disposition of Catch	3
Creel Census	4
RESULTS	4
American Shad Catch	5
Herring Transplantation	. 7
Creel Census	7
SUMMARY OF OPERATION, 1972-1975	8
ACKNOWLEDGMENTS	10
LITERATURE CITED	11
LIST OF TABLES	
Table	Page
Schedule of test velocities and volumes for the Conowingo Dam Fish Collection Facility, 8 May-13 June 1975	12
Numbers of fishes taken in the Conowingo Dam Fish Collection Facility, 21 April through 13 June 1975	13
Sex ratio and spawning condition of American shad (Alosa sapidissima) collected in the Conowingo Dam Fish Collection Facility in 1973-1975	15
Data describing conditions for each lift before, at the time of, and after American shad (Alosa sapidissima) were taken in the Conowingo Dam Fish Collection Facility, 18	
May through 7 June 1975	16

Table		Page
5	Number of American shad (Alosa sapidissima) taken in the Conowingo Dam Fish Collection Facility, 1973-1975, under various conditions of generation of the Conowingo Hydroelectric Station	24
6	Weir gate setting test results, for 8 selected species, 21 April through 13 June 1975	25
7	Velocity and volume schedule test results for eight selected species, 8 May through 13 June 1975	32
8	Comparison of the mean catch per hour with respect to velocity and volume of flow for eight selected species, 8 May through 13 June 1975	39
9	Time of day American shad (Alosa sapidissima) were taken in the Conowingo Dam Fish Collection Facility, 18 May through 7 June 1975	40
10	Comparison of the percentage of American shad (Alosa sapidissima) taken in the Conowingo Dam Fish Collection Facility with water temperature, 1972-1975	41
11	Daily totals of blueback herring, alewife and hickory shad transported from the Conowingo Dam Fish Collection Facility to Conowingo Pond, 23 April through 16 May 1975	42
12	Time of day American shad (Alosa sapidissima) were taken by anglers fishing from shore just downstream from the Conowingo Dam Fish Collection Facility, 3 May through 31 May 1975	43
13	Count of effort for anglers fishing from shore and by boat in the Conowingo Dam tailrace, 2 May - 13 June 1975	44
14	Status of generation of Conowingo Hydroelectric Station in relation to shore angler catch of American shad (Alosa sapidissima) for 1973-1975	46
15	Comparison of the percentage of American shad (Alosa sapidissima) taken in the Conowingo Dam Fish Collection Facility with time of day, 1972-1975	47
16	Comparison of the percentage of American shad (Alosa sapidissima) taken by shore anglers with time of day, 1973-	48
		48

Table		Page
17	Comparison of the percentage of American shad (Alosa sapidissima) taken by shore anglers with water temperature 1973-1975	49
18	Susquehanna River flows (expressed as a 24 hr average) and water temperatures at Conowingo Dam from 1 April-30 June 1972-1975. River flow data provided by Susquehanna Electric Company. River temperatures taken at Conowingo Dam Fish Collection Facility	50
19	The distribution of boats in the tailrace of Conowingo Dam, under various conditions of generation of Conowingo Hydro-electric Station, 1973-1975	51

INTRODUCTION

An agreement was signed between the Philadelphia Electric Company,
Susquehanna Electric Company, Pennsylvania Power and Light Company,
Metropolitan Edison Company, Safe Harbor Water Power Corporation, State of
Maryland, Commonwealth of Pennsylvania, State of New York, and the Department of the Interior on 29 September 1970, for the implementation of a
five-year program "for restoration of the American shad to the Susquehanna
River". Part of the program called for construction of "fish attraction,
collection and trapping devices" to determine the number of American shad
(Alosa sapidissima) available that could be collected from immediately
below Conowingo Dam and transported upriver and released. The Conowingo
Dam Fish Collection Facility was constructed for Philadelphia Electric
Company by the Arundel Corporation using conceptual plans supplied by the
U.S. Department of Interior through the Susquehanna River Shad Advisory
Committee.

The facility was operated in 1972, 1973 and 1974 (Robbins, 1972; Foote and Robbins, 1973; Buchanan and Robbins, 1974). Operation in 1975 was according to procedures outlined by Robbins, Kotkas and Buchanan (1975) and approved by the Operations Subcommittee of the Susquehanna River Shad Advisory Committee.

The present report summarizes the 1975 operation. Items discussed include (1) schedule of operation, (2) attraction velocity, (3) disposition of catch including transplantation of blueback herring and alewife to Conowingo Pond and release of tagged shad at Shures Landing, (4) a creel census conducted below Conowingo Dam, (5) statistics on the catch of the American shad, and (6) a comparison of data obtained in 1975 with that of 1972 through 1974.

METHODS

Schedule of Operation

The facility was operated from one-half hour before sunrise to 1100 hours (EST) from 21 April through 13 June, and from 2000 hr on 26 May to 0515 hr on 27 May. On 2 May it was out of service for 4 hours from 0433 to 0833 EST.

The length of fishing time per lift depended upon the relative abundance of fishes. It ranged from 1 to 60 minutes. One minute sets were used when large numbers of herring or white perch were present. Sets of thirty minutes were most commonly used. Several lifts of longer duration were used when few fish were being taken.

Attraction Velocity

A standard attraction velocity was used from 21 April to 7 May. This was established by setting house unit No. 1 at approximately 35% gate, house unit No. 2 at 75% gate, and the weir gates at 6 feet below the tailrace.

An experimental schedule of attraction velocities and flow (volume of water through facility) was initiated on 8 May and continued through 13 June. Four test conditions of attraction velocity and flow were used in a schedule of eight test periods (Table 1). Each day was divided into two test periods and a set of test conditions was run in each period. The test periods were used consecutively throughout the test season.

Tests using each of two positions of the crowder gates were also conducted to determine if there were differences in catch. The intermediate gate position (12 in. opening) was used on one lift and the full-open position was used on the next.

Operation of Conowingo Hydro-electric Station in the spring is, in part, modified by the occurrence of anadromous fish runs. As part of an agreement with the State of Maryland, to prevent fish mortality in the tailrace due to oxygen deficiences, a generator was operated continuously between 24 April and 1 June (Kotkas, 1975). Complete shutdowns occurred on occasion after 1 June. The selection of the unit to operate was made by a biologist conducting a surveillance and depended upon the relative abundance and distribution of fishes (primarily blueback herring and alewife) in the tailrace. Main Generator No. 2 was operated to create suitable oxygen conditions and to enhance the attraction of shad along the west bank of the tailrace near the facility. Main Generator No. 2 was always one of the units run during the regular operation of the Conowingo Hydro-electric Station during the season when the facility was operated.

Station engineers were requested not to operate Main Generator No. 1, whenever possible, because of potential negative effects of the turbulence produced by the Unit No. 1 discharge on the attraction flow of the facility. This request was followed and Main Generator No. 1 was always the last unit to come on line when the facility was operating.

Disposition of Catch

Specimens in all lifts were released into a 6' x 12' x 4' sorting tank. The catch was first examined for American shad which were immediately tagged with a floy anchor tag (FD-67) and transferred to a 460 gallon fiberglass transport tank which was equipped with an oxygen cylinder for aeration. Sex and condition of ripeness were noted. Shad were then released at Shures Landing.

Transplantation of alewife and blueback herring to Conowingo Pond began on 23 April and was terminated on 16 May. The 600 galloon plywood tank con-

structed by the Pennsylvania Fish Commission, in 1972, was used to transport the fish. The tank was equipped with air pumps to provide aeration.

Other fishes were counted after all American shad had been removed. Large catches were subsampled. An estimate of the numbers of fishes in the lift was made from a count of this subsample. All catches were counted or subsampled except when large numbers of herring were available for transport, or when it was necessary to spend a great amount of time looking for shad. Where mortalities due to an oxygen deficiency were likely, large catches were released to the river immediately.

Length, weight, sex and scale samples were taken from blueback herring, alewife, white perch, and gizzard shad. Scale samples were also taken from American shad caught by anglers along the west shore of the tailrace.

Creel Census

A creel census was conducted below Conowingo Dam to determine: (1) if the distribution of shad changes in the tailrace with the phases of operation of Conowingo Hydro-electric Station and (2) if a relationship existed between the anglers catch and the collection of shad in the fish facility.

The number and distribution of boat anglers and anglers fishing from the west shore were counted. The catch of the shore anglers was counted once an hour daily from approximately 0400 to 1100 hours (EST) between 2 May and 13 June. Changes in the distribution of boats was determined by a count of the number in east and west sections of the tailrace which were established by an imaginary line from Main Generator No. 6 to the northern tip of Rowland Island.

RESULTS

A total of 514 lifts yielded a catch of 893,147 fish representing 12 families and 40 species (Table 2). The white perch (488,081), gizzard shad (138,664), and channel catfish (74,162) were most common.

The anadromous clupeids (alewife, blueback herring, hickory shad and American shad) made up 8.3% of the catch (Table 2). Most of the alewife spawning run was missed because the facility started operation on 21 April. The largest peak in the blueback herring run occurred in the week of 19 May (water temperature 68-73 F); a large number were also taken in the week of 21 April (54-59 F). A total of 18,986 blueback herring and alewife were transported above Conowingo Dam. Only 20 hickory shad were taken during the season. The American shad was first collected on 18 May at a water temperature of 67 F. The last shad was taken on 7 June at a water temperature of 75 F.

American Shad Catch

A total of 84 American shad was collected between 18 May and 7 June. Four were tagged and released close to the facility and 68 were tagged and released at Shures Landing. Eight tagged shad died in transport, three died in the sorting tank, and one dead shad was collected in the facility. The mortalities occurred at water temperatures of 70-76 F. Eight of the eleven dead shad were green or spent females and three were ripe males.

Two tagged shad were recaptured in the facility. One was a multiple recapture. A ripe male (Tag No. 0005) was tagged on 22 May. It was recaptured on 3 June, transported to Shures Landing and captured again on 5 June. It was released again at Shures Landing. A green female (Tag No. 00052) was tagged and transported on 26 May. It was recaptured (still green) on 3 June. It died in retransport.

One tag was returned by a commercial fisherman. A green female was tagged (No. 00051) on 26 May, and was recaptured on 16 June. It was caught on the west shore of Chesapeake Bay near Deale, Maryland, a distance of approximately 65 miles south of Conowingo Dam.

The sex ratio of 83 shad caught was 1.4 males to 1.0 females. All of the males were ripe, and 88.2% of the females were green and 17.8% were spent (Table 3).

More shad (66.7%) were taken at an attraction velocity of 7 feet per second than at 4 feet per second. The data however, are not sufficient to suggest an optimum attraction velocity. Shad were obviously scarce in the tailrace. The mode of operation of the Station and time of day may be important factors in relation to catch of those present.

Conditions of operation in the lift before, at the time of and in the lift after shad were collected are given in Table 4. Most (60.2%) of the shad were collected when one small and no large units were operating (Table 5). Three (3.6%) were taken when all units were operating. The results of the velocity, volume and weir gate setting tests are presented in Tables 6, 7, and 8. At the intermediate gate position 0.5 fish/hr were taken and at the full-open position 0.4 fish/hr were caught (Table 6). The data suggest that a combination of high velocity and low flow are most suitable for attraction of shad. However, 26 shad were taken in one lift under these conditions and the results may be more a function of availability of shad than of test conditions. No common combination of velocity and flow explains the catch of other species.

The peak hourly catch of shad was between 0600 and 0659 hrs (EST) when forty-two shad (50.6%) were collected (Table 9). Few were taken before 0500 or after 1000 hrs. Most shad (75%) were taken at water temperatures of 74 and 75 F (Table 10).

Most of the shad taken in the facility from 1972 through 1975 were age IV.

Of a total of 213 American shad aged, some 7.5% were age III, 56.3% were IV,

31% were V, 4.7% were VI and 0.5% were VII. These data indicate that fishes

of the 1972 year class (age III) would not be expected in large numbers in 1975. None of 51 fishes aged in 1975 were age III. Any assessment of the effects of Tropical Storm Agnes on shad production in 1972 would be best determined by the abundant of age IV fishes returning to the Susquehanna River in 1976.

Herring Transplantation

A total of 18,986 herring were transported to Conowingo Pond and released at the west side of the dam. Included were 16,721 blueback herring (88.1%), 2,262 alewife (11.9%) and 3 hickory shad. The largest number of herring carried in one load was 1,200, and the most transplanted in one day (23 April) was 7,000 (Table 11).

An estimate of the fish transported was made by estimating the number of fish in a dip net (half-full) and multiplying this by the number of samples placed in the transport tank. Under ideal conditions, the approximate time needed to handle one truckload of fish was 45 minutes. The goal of transporting 50,000 herring was not met because of the relatively small herring run and those available after the first week in May were mixed with large numbers of white perch. The long time needed for sorting would have seriously interfered with the attempt to collect shad. Thus the transplantation program was terminated even though herring were still present.

No herring were collected by Ichthyological Associates personnel in Conowingo Pond. Unsubstantiated reports were received of fishermen seeing herring at Conowingo Creek, Broad Creek and Holtwood Tailrace.

Creel Census

Results of the creel census indicate that few shad were taken by anglers along the west shore of the tailrace; 41 were taken from 3 May through 31 May.

Anglers were most successful on 24 and 26 May when 23 shad (56.1%) were taken (Table 12). Fishing effort for shad was highest during the first half of May. Most shad were caught between 0500 and 0659 hours. Overall conditions under which shad were taken by anglers and in the lift were similar in 1975.

Angling effort from boats was greatest on the east side of the tailrace (below the large units). Here, the count of anglers was 3.3 per hour compared with 1.3 per hour from boats on the west side of the tailrace (Table 13). More anglers in boats were observed on the west side of the tailrace only when there were no large units and one small unit was operating. Anglers fishing from the west shore took 68.3% of the shad catch when no large units were operating and four or fewer small units were operating (Table 14).

Many anglers continued to fish through 13 June, but little effort was expended to catch shad at this time. Most were fishing with bait by the end of May.

SUMMARY OF OPERATION, 1972-1975

Since 1972, 581 American shad have been taken in the Conowingo Dam Fish Collection Facility. The conditions under which they were taken each year were similar. Most shad (92.8%) which were collected in the period from 0400 to 1100 hrs (EST), were taken before 0900 hrs (EST) (Table 15). The percentage caught in each hour for this period was consistent for each of the four years. The catch of shad by anglers was more evenly distributed through the morning hours (Table 16).

Most shad (88.5%) collected in the facility were taken at water temperatures of 68-71 F and 74-75 F (Table 10). Anglers caught most shad (77.2%) at water temperatures of 57-63 F (Table 17).

In 1973-1975, 68.7% of the shad were taken in the facility when no large units were operating (Table 5). For the same time period, anglers

fishing from shore took 26.1% of their catch under similar conditions (Table 14). A total of 46.6% of the anglers catch was made when all units were operating.

Of the shad taken in the facility in 1973-1975, 49.1% were males and 50.9% were females (Table 3). Some 87.0% were either green or ripe and the remainder were spent.

Daily river flows and water temperatures, for April-June, 1972-1975, has been included to aid those who might attempt further analysis of the facilities past operation (Table 18).

Boat angler effort indicates a distinct preference for the east side of the tailrace. When the large units are running, 84.6% of the angler effort was on the east side of the tailrace. When no large units were operating, 54.8% of the effort was on the west side of the tailrace (Table 19).

ACKNOWLEDGMENTS

The author wishes to acknowledge the assistance of the following biologists:

A. Kirch, E. Kotkas, W. McManus, D. Moore, T. Robbins, R. Schutsky, and

J. Smith. Others who assisted were: T. Diller, A. Gleason, P. Howard, J.

Kuhns, and J. Shuman. Special thanks are extended to Howard Jarman, Station

Superintendent, William Langan, Assistant Superintendent, John Boyda, Results

Engineer, and the staff of Conowingo Hydro-electric Station, Susquehanna

Electric Company, for providing data on the operation of Conowingo Dam and

logistic support for the facility operation. P. James Dalley, Bureau of Sport

Fisheries and Wildlife, assisted with many of the velocity computations and

gave advice on experimental velocity studies. Advice provided by other

members of the Susquehanna River Shad Advisory Committee was also appreciated.

Barbara Ankrim and Margaret Eckman typed the manuscript.

LITERATURE CITED

- Buchanan, D. G., and T. W. Robbins. 1974. Summary of the operation of the Conowingo Dam Fish Collection Facility during the spring of 1974. Fish Facility Operation Report 3. Report prepared for Philadelphia Electric Company, 46 p.
- Foote, P. S., and T. W. Robbins. 1973. Summary of the operation of the Conowingo Dam Fish Collection Facility during the spring of 1973. Fish Facility Operation Report 2. Report prepared for Philadelphia Electric Company, 40 p.
- Kotkas, E. 1975. Report on the 1975 anadromous fish surveillance program below Conowingo Dam. Ichthyological Associates, Surveillance Report 6.
- Robbins, T. W. 1972. Summary of the operation of the Conowingo Dam Fish

 Collection Facility during the spring of 1972. Ichthyological Associates,

 Fish Facility Operation Report 1. Report prepared for Philadelphia

 Electric Company, 31 p.
- Robbins, T. W., E. Kotkas and D. G. Buchanan. 1975. Operation of the Conowingo

 Dam Fish Facility. 1975 Operation Draft Report, Prepared for Operation

 Subcommittee, Susquehanna Shad Advisory Committee, Ichthyological

 Associates, 6 p.

Table 1. Schedule of test velocities and volumes for the Conowingo Dam Fish Collection Facility, 8 May-13 June 1975.

	Test	House Uni	t Setting	Entrance Wei	r Setting
Period No.	Conditions*	No. 1	No. 2	Depth Below Tailwater	Velocity ft/sec(±0.5)
1	HV-HF	35%	75%	5.4 ft	7
2	LV-HF	. 35%	75%	9.5 ft	4
3	HV-LF	35%	35%	3.0 ft	7
4	LV-LF	35%	35%	5.0 ft	4
5	LV-LF	35%	35%	5.0 ft	4
6	HV-LF	35%	35%	3.0 ft	7
7	LV-HF	35%	75%	9.5 ft	4
8	HV-HF	35%	75%	5.4 ft	. 7
A*	HV .	35%	35%	5.0 ft	4
B*	LV	35%	35%	3.0 ft	7

HV - High Velocity

LV - Low Velocity

HF - High Flow

LF - Low Flow

^{*} Alternate between A+B operation when too many generating units are off and tailrace is too low for standard setting.

Table 2. Numbers of fishes taken in the Conowingo Dam Fish Collection Facility, 21 April through 13 June 1975.

Dates No. Lifts	21-27 Apr 54	28 Apr-4 May 58	5-11 May 64	12-18 May 60	19-25 May 69	26 May-1 Jun 83	2-8 Jun 79	9-13 Jun 47	Totals 514	
Fishing Time (hr) Water Temperature (F)	19.7 54-59	23.4 56-58	26.3 57-61	20.0 60-67	23.8 68-73	33.5 74-75	23 . 9 74-76	18.8 71-67	199.4	
Petromyzontidae				······································		•			_	
Petromyzon marinus	-	1		-	-	-	•	-	1	
Anguillidae						•				
Anguilla rostrata	21	130	8	634	1394	20071	42022	300	64580	
Clupeidae							•			
Alosa aestivalis A. mediocris	20099	2 18	2764	14546	23194	214	9101	12	69932	_
A. mediocris A. pseudoharengus	2 1322	2376	498	44	16	-		_	20 - 4256	
A. sapidissima	-	2570	- -	1	17	56	10	-	84	
D. cepedianum	-	3715	4583	16804	31078	34031	31037	17416	138664	13
Salmonidae				•						
Salmo gairdneri	. 5	6	-	-	5	7	-	-	23	
S. trutta	1	. 4	6	9	81	86	4	26	217	
Salvelinus fontinalis		1	-	-	· •			. •	1	
Salmonid Hybrid	-		-	-	. 2	•			2	
Esocidae	•									
E. masquinongy	4		. ·	-	1	· 1	-	· 1	7	
Cyprinidae	•									
Carassius auratus	-	8	1	-			_	-	9	
Cyprinus carpio	.6	2	998	3527	1607	7845	1083	44	15112	
Notemigonus crysoleuca	<u>s</u> 44	14	1	17	119	110	440	8	753	
Notropis amoenus	-	•	-	. 7	468	1437	172	-	2077	
N. hudsonius	- 1		•	4	29	235	140	-	408	
N. rubellus		-	-		-	•	-	-	, 1	
N. spilopterus		2		-	37	1054	-	-	1093	

Table 2. Continued.

Catostomidae Catostomidae Catostomicae Catostomicae Carpiodes cyprinus Catostomus commersoni	54 19•7 54-59	58 23.4 56-58	26.3 57-61	60 20.0 60-67	69 23.8 68-73	83 33.5	79 23.9	47 18.8	514 199.4	
Vater Temperature (F) Catostomidae Carpiodes cyprinus	54-59 									
Carpiodes cyprinus					QU-73	74-75	74-76	71-67	22764	
		21	652	1234	1184	4745	493	62	8393	
	. 79	.8	27	18	18	1	-	-	151	
Moxostoma macrolepidotum	54	20	202	93	82		•-	. √.	451	
Belonidae					,			편* -		
Stronglura marina	-	-		•	•	1	-	-	. 1	
[ctaluridae									****	
Ictalurus catus	-	-		33	660	1524	3388	571	6176	
I. natalis I. nebulosus	•		2	- 9	138	· 32 494	93	4	32 740	
	151	1884	430	2628	6486	25486	25442	11655	74162	
I. punctatus	131	1004	430	2020	0400	2,5480	2.3442	11033	74102	
Percichthydae		//000	10001	1000/0	1 700 77	20005	0/0/0	1000	488081	
Morone americana	-	44389	12221	127045 8	170377 8	38985 36	94042 110	1022	166	
M. saxatilis	-		-	•	0	30	110		100	
Centrarchidae .		•							•	
Ambloplites rupestris	3	1	-	4	9	16	13	•	46	
Lepomis auritus	- '	•	. 1	26	286	1549	1154	24	3040	
L. cyanellus				-	. .	10	29	<u>.</u>	39	
L. gibbosus	4	2	-	11	94	616	245	4	976	
L. macorchirus	11	12	9	. 72	544	1462	931	41	3082	
Micropterus dolimieui	2	-	11	54	18	51	-	1	137	
M. salmoides	3	. 2	1 .	16	5	8	-	-	35	
Pomoxis annularis	4	30	13	110	348	1808	6630	347	9290	
P. nigromaculatus	3	. 8	-	8	•	` 21	-	4	44	
Percidae				•					•	
Etheostoma olmstedi	1		_		**	016	100	, ,	1 496	
Perca flavescens	4	2	7	24	109	246	100 54	4 37	496 368	
Stizostedion vitreum	94	28	12	20	18	105		31	300	
			. 22447	166999	238432	142343	216733	31587	893147	

Table 3. Sex ratio and spawning condition of American shad (Alosa sapidissima) collected in the Conowingo Dam Fish Collection Facility in 1973-1975.

	Ma.	le]	Female			
Year	Ripe	Spent	Green	Ripe	Spent	Undetermined	Undetermined	Total
1973	34	1	22	1	12	0 .	5	75
%	45.3	1.3	29.3	1.3	16.0	-	6.7	
1974	48	0	41	9	6	12	12	128
%	37.5		32.0	7.0	4.7	9.4	9.4	
1975	49	0	30	0	4	0	1	84
%	58.3	-	35.7	-	4.8	-	1.2	
Total	131	1	93	10	22	12	18	287
%	45.6	0.3	32.4	3.5	7.7	4.2	6.3	

Total No.
Males and
Females 132 137
% 49.1 50.9

7

Table 4. Data describing conditions for each lift before, at the time of, and after American shad (Alosa sapidissima) were taken in the Conowingo Dam Fish Collection Facility, 18 May through 7 June 1975.

Date		18 Ma	У				22 May					23 May	
Lift Number	5	6	7	3	4	5	8	9	10	3	4	5	6
Parameters*						•							
Shad Taken	. 0	· 1	0	.0	1	0	0	1	0	0	3	2	0
Total Fish	1172	735	526	4500	833	697	1824	862	708	1710	2608	4502	1600
Rel. Loc.	3	3	. 3	3	3	3	3	3	3	3	3	3	3
Lift Time	0650	0733	0815	0520	0535	0630	0840	· 0930	1000	0532	0555	0625	0655
Min. Fished	30	30	30	5	10	15	30	20	15	5	15	15	1.5
Air Temp.	61	62	63	68	68	72	75	78	78	67	• 67	70	70
Water Temp,	67	67	• 67	69	69	69	69	69	69	70	70	70	70
Weather	3	3	2	1	1	1	1	1	1	1	1	1	1
At. Pressure	30.05	30.03	30.03	29.90	29.90	29.93	29.93	29.93	29.93	29. 90	29.90	29.90	29.90
Small Gen. on	7	7	7	2	2	. 4	7	7	7	3	3	4	4
Large Gen. on	4	4	4	0	0	2	4	4	4	2	0	1	1
Unit 1	1	1	1	2	2	2	1	1	1	2	2	2	2
Unit 2	1	1	ī	1	. 1	. 1	1	1	1	1	1	1	1
Spill gates open	Q	0	0	0	. 0	. 0	0	0	0	. 0	0	0	0
River Flow	66.1	66.1	66.1	44.5	44.5	44.5	44.5	44.5	44.5	41.4	41.4	41.4	41.4
% Gate S.U.1	35	35	35	35	35	35	35	35	35	35	35	35	35
% Gate S.U. 2	25	25	25	35	35	35	35	35	35	35	35	35	35
Vel. Hld. Chan.	.6	.6	.6	•6	•6	.6	•6	.6	.6	.6	.6	•6	.6
Vel. Weir 1	7.0	7.0	7.0	7.0	7.0	7.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Vel. Weir 2	7.0	7.0	7.0	7.0	7.0	7.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Weir Gates Open	3	3	3	. 3	3	3	3	3	3	3	3	3	3
Ft. Below TR	2.6	0 6	0.0		2.0	2.0			- · ·				
Weir 1	2.6	2.6	2.6	2.6	3.0	3.0	5.3	5.3	5.3	5.3	5.3	5.3	5.3
Weir 2	2.6	2.6 20.5	2.6	2.6 14.6	3.0	3.0	5.3	5.3	5.3	5.3	5.3	5.3	5.3
Tailrace Elev. Hld. Chan. Elev.	20.1		20.5	14.0	14.6	18.0	20.6	20.6	20.6	15.6	15.6	-	- '
Crowder Position	21.3	21.6	21.6	-				-	-	-	-	-	-
Cr. Gate Position	2	1	1 2	. 1	1 2	1	1 2	1 1	2	1 2	1 1	1 2	1

Table 4. Continued.

Date	٠	23 Ma	У			24 May				25	May		26 May 2	
Lift Number	. 7	8	9	4	5	6	7	8	3	4	5	6	2	
Parameters*										•				
Shad Taken	0	2	. 0	0	2	3	1	0	0	1	1	0	0	
Total Fish	7000	2502	912	2416	4738	7424	1345	1112	2232	2545	5313	4016	8880	
Rel. Loc.	3	. 3	3	. 3	3	3	3	3	3	3	3	3	3	
Lift Time	0740	0925	1005	06 00	0645	0730	0815	0910	0530	0625	0705	0750	0442	
Min. Fished	30	30	30	20	30	. 30	30	40	10	30	30	30	5	
Air Temp.	73	73	75	68	70	72	76	75	66	66	66	65	58	
Water Temp.	70	70	70	72	72	72	72	72	73	73	73	73	74	
Weather	1	1	1	1	1	1	1	1	3	3	3	3	2	
At. Pressure	29.95	29.95	29.95	29.84	29.85	29.85	30.05	29.84	29.97	29.97	29.97	29.97	30.12	
Small Gen. on	4	4	4	1.	1	1	4	4	1	1	1	3	1	
Large Gen. on	1	2	2	0	0	0	2	2	0	0	0	0	0	
Unit 1	2	2	2.	2	2	2	2	2	2	2	2	2	1	
Unit 2	. 1	1.	1	1	1	1.	1	1	1	1	1	1	2	
Spill Gates On	0	0	0	0	0	0	0	0	0	0	0	0	0	
River Flow	41.4	41.4	41.4	38.5	38.5	38.5	38.5	38.5	38.5	38.5	38.5	38.5	36.3	
% Gate S.U. 1	35	35	35	35	35	35	35	35	35	35	35	35	35	
% Gate S.U. 2	35	35	35	35	35	35	75	75 .	35	35	35	75	35	
Vel. Hld. Chan.	.6	.6	.6	.6	•6	.6	1.4	1.4	•6	.6	.6	1.4	•6	
Vel. Weir l	4.0	7.0	7.0	4.0	4.0	4.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
Vel. Weir 2	4.0	7.0	7.0	4.0	4.0	4.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
Weir Gates Open	3	3	3	3	3	3	3	3	3	3	3	3	3	
Ft. Below TR														
Weir 1	5.3	3.0	3.0	5.6	5.6	5.6	5.4	5.4	3.2	3.2	3.2	5.4	3.2	
Weir 2	5.3	3.0	3.0	5.6	5.6	5.6	5.4	5.4	3.2	3.2	3.2	5.4	3.2	
Tailrace Elev.	-	-	-	14.0	14.0	14.0	17.0	18.0	13.8	13.8	13.8	15.0	13.8	
Hld. Chan. Elev.		-	-	14.9	14.9	14.9	18.4	20.4	-	-	-	-	-	
Crowder Position	1	1	1	1	1	1	1	1	1	1	1	1	1	
Cr. Gate Position	2	1	2	1	2	1	2	1	. 2	2	2	2 .	2	

Table 4 . Continued.

Date				2	6 May					2	7 May		29 Ma	y
Lift Number	3	4	5	, 6	7	8	10	11	6	7	8	9	3	-
Parameters*														
Shad Taken	1	. 6	26	0	6	0	0	1	0	1	2	0	0	
Total Fish	1697	2300	2626	1420	3 306	2500	574	1441	2048	4417	- 1690	4832	1192	
Rel. Loc.	3	3	3	3	3	3	3	3	3	3	3	3	3	
Lift Time	0525	0600	0645	0735	0826	0905	1000	1030	0415	0458	0540	0625	0540	
Min. Fished	30	30	30	30	30	30	15	15	30	30	30	30	30	
Air Temp.	57	57	60	61	61	64	65	65	66	65	66	66	63	
Water Temp.	74	74	74	74	74	74	74	74	74	74	. 74	74	75	
Weather	2	2	· 3	3	3	3	3	3	3	3	2	2	1	
At. Pressure	30.12	30.12	30.12	30.12	30.12	30.12	30.12	30.12	29.75	29.75	29.75	29.75	30.05	
Small Gen. on	1	1	-1	. 3	3	4	6	7	1	1	1	5	1	
Large Gen. on	0	0	0	0	1	3	4	4	.0	0	0	2	0	
Unit 1	2	2	2	2	. 2	2	2	1	2	2	2	2	2	
Unit 2	1	1	1	1	1	1	1	1	1	1	1	1	1	
Spill gates open	0	0	0	0	0	- , O	0	0	0	0	0	0	0	
River Flow	36,3	36.3	36.3	36.3	36.3	36.3	36.3	36.3	36.2	36.2	36.2	36.2	32.1	
% Gate S.U. 1	35	35	35	35	35	35	35	35	35	. 35	35	35	35	
% Gate S.U. 2	. 35	、 35	35	35	75	75	75	75	35	35	35	35	35	
Vel. Hld. Chan.	.6	.6	.6	.6	.8	.8	.8.	.8	.6	.6	• 6	.6	.6	
Vel. Weir 1.	7.0	7.0	7.0	7.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	7.0	
Vel. Weir 2	7.0	7.0	7.0	7.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	7.0	
Weir Gates open	. 3	3	3	3	3	3	3	3	3	3	3	3	3	
Ft. Below TR														
Weir 1	3.2	3.2	3.2	3.2	9.0	9.5	9.5	9.5	5.3	5.3	5.3	5.3	3.2	
Weir 2	3.2	3.2	3.2	3.2	9.0	9.5	9.5	9.5	5.3	5.3	5.3	5.3	3.2	
Tailrace Elev.	13.8	13.8	13.8	13.8	17.1	18.5	21.4	21.4	14.0	14.0	14.0	18.2	14.0	
Hld. Chan. Elev.	• •	-	-		-	-	-	-	14.8	14.8	14.8	18.8	-	
Crowder Position	1	1	1	1	1	1	1	1	1	1	1	1	1	
Cr. Gate Position	2	2	2	2	1	1	1	1	ī	2	1	2	2	

Table 4. Continued.

Date			2	9 May				30 May			31	. May	
Lift Number	4	5	6	7	8	9	3	4	5	3	4	5	8
Parameters*													
Shad Taken	1	· 1	0	2	1	0	0	1	0	0	1	0	0
Total Fish	264	48 6	1184	810	817	615	624	247	155	1072	597	770	400
Rel. Loc.	3	3	3	3	3	3	. 3	3	3	3	3	3	3
Lift Time	0625	0710	0755	0840	0925 -	0950	0605	0650	0735	0545	0625	0705	0915
Min. Fished	30	30	30	30	30	15	30	. 30	30	30	30	30	30
Air Temp.	64	64	72	75	77	77	69.	69	69	72	72	74	. 77
Water Temp.	75	75	75	75	. 75	75	75	75	75	74	74	74	74
Weather	2	2	. 2	2	2	2	3	3	3	3	٠ 3	3	3
At. Pressure	30.05	30.05	30.05	30.05	30.05	30.05	29.94	29.94	29.91	29. 79	29.79	29.78	29.79
Small Gen. on	1	. 1	4	4	6	6	1	1	4	1	1	1	2
Large Gen. on	0	0	2	. 2	4	4	0	0	2	0	0	0	0
Unit 1	2	2	2	2	2	2	. 2	2	2	2	2	2	2
Unit 2	1	1	1	1	1	1	1	1	1	1	1	1	1
Spill Gates open	0	0	0	0	0	. 0	- 0	0	0	0	0	0	0
River Flow	32.1	32.1	32.1	32.1	32.1	32.1	28.8	28.8	28.8	29.3	29.3	29.3	29.3
% Gate S.U. 1	35	35	35	35	35	35	35	35	35	35	35	35	. 35
% Gate S.U. 2	35	35	75	75	75	75	35	35	35	35	35	35	35
Vel. Hld. Chan.	•6	•6	1.4	1.4	1.4	1.4	•6	.6	•6	.6	.6	.6	•6
Vel. Weir l	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.0	4.0	4.0	4.0
Vel. Weir 2	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.0	4.0	4.0	4.0
Weir Gates open	3	3	3	·3	3	. 3	3	3	3	3	3	3	3
Ft. Below TR	•												
Weir 1	3.2	3.2	5.4	5.4	5.4	5.4	3.2	3.2	3.2	5.6	5.6	5.6	5.6
Weir 2	3.2	3.2	5.4	5.4	5.4	5.4	3.2	3.2	3.2	5.6	5.6	5.6	5.6
Tailrace Elev.	14.0	14.0	18.0	18.0	20.2	20.2	14.0	14.0	18.0	13.8	13.8	13.8	14.6
Hld. Chan. Elev.	-	-	18.7	18.7	20.4	20.4	14.3	14.3	18.5	-	-	-	14.9
Crowder Position	1.	1	. 1	1	1	1.	. 1	1	1	. 1	1	1	1 '
Cr. Gate Position	1	2	1	2	1	2	2	1	2	2	1	2	1

Ŋ

Table 4. Continued.

Date	31	May				1 June					2	June		
Lift Number	9	<u>May</u> 10	2	3	4	8	9	10	11	2	3	4	5	
Parameters*														
Shad Taken	3	. 0	0	1	0	0	1	. 1	0	0	1	1	1	
Total Fish	193	154	1720	357	278	456	916	1261	750	2250	926	433	281	
Rel. Loc.	3	3	3	3	3	3	3	3	.3	3	3	3	3	
Lift Time	0958	1040	0455	0537	0620	0912	0955	1038	1120	0500	0542	0625	0709	
Min. Fished	30	30	15	30	30 -	30	30	30	30	15	30	30	30	
Air Temp.	77	80	72	72	72	73	73	73	73	62	62	65	67	
Water Temp.	74	74	74	74	74	74	74	74	74	75	75	75	75	
Weather	3	3	4	4	4	4	3	3	3	1	1	1	1	
At. Pressu re	29.76	29.76	.29.74	29.74	29.74	29.76	29.76	29.73	29.68	30.04	30.05	30.07	30.07	
Small Gen. on	2	4	1	1	1	4	4	4	4	1	1	1	3	
Large Gen. on	0	4	0	0	0	1	1	1	1	0	0	0	0	
Unit 1	2	2	2	2	2	. 2	2	2	2	2	2	2	2	
Unit 2	1	1	1	1	1	1	. 1	1	1	1	. 1	1	1	
Spill Gates Open	. 0	0	0	0	0	0	0	0	0 '	0	0	0	0	
River Flow	29.3	29.3	35.4	35.4	35.4	35.4	35.4	35.4	35.4	28.2	28.2	28.2	28.2	
% Gate S.U. 1	35	35	35	35	·35	35	35	35	35	35	. 35	35	35	
% Gate S.U. 2	35	35	35	35	35	75	75	. 75	75	35	35	35	35	
Vel. Hld. Chan.	•6	•6	•6	•6	•6	1.4	1.4	1.4	1.4	.6	.6	.6	•6	
Vel. Weir 1 -	7.0	7.0	4.0	4.0	4.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
Vel. Weir 2	7.0	7.0	4.0	4.0	4.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	
Weir Gates open	3	3	3	3	3	3	3	3	3	3	3	3	3	
Ft. Below TR														
Weir 1	3.2	3.2	5.6	5.6	5.6	5.4	5.4	5.4	5.4	3.2	3.2	3.2	3.2	
Weir 2	3.2	. 3.2	5.6	5.6	5.6	5.4	5.4	5.4	5.4	3.2	3.2	3.2	3.2	
Tailrace Elev.	19.0	19.0	14.0	14.0	14.0	17.3	17.3	17.3	17.3	14.0	14.0	14.0	16.2	
Hld. Chan. Elev.	19.3	19.3	14.4	14.4	14.4	18.1	18.1	18.1	18.1	14.7	14.7	14.7	16.8	
Crowder Position	1	1	1	1	1	1	1	1	1	1	1	1	1	
Cr. Cate Position	2	1	1	2	1	1	2	1	. 2	1	2	1	2	

Table 4. Continued.

Date	2	June				3 June					4 June		5 June 4	
Lift Number	6	7	2	3	4	5	8	9	10	1	2	3	4	
Parameters*														
Shad Taken	1	. 0	0	1**	1+1**	0	0	1	0	0	1	0	0	
Total Fish	185	.900	7600	5000	4002	3300	1200	2001	4384	4100	20501	2500	8440	
Rel. Loc.	3	3	3	3	3	3	3	3	3	3	3	3	3	
Lift Time	0755	0834	0455	0523	0552	0610	0658	0744	0825	0430	0442	0507	0519	
Min. Fished	30	30	15	15	15	5	3	30	30	0	2	1	3	
Air Temp.	70	73	68	69	69	70	72	72	72	61	61	61	63	
Water Temp.	75	75	76	76	76	76	76	76	76	75	75	75	76	
Weather	1	1	. 2	2	2	2	2	2	2	1	' 1	1	3	
At. Pressure	30.07	30.07	29.92	29.92	29.92	29.92	29.92	29.90	29.90	29.80	29.80	29.80	29.74	
Small Gen. on	. 3	3	0	0	0	0	0	4	4	0	0	0	0	
Large Gen. on	0	0	0	0	0	0	0	2	2	0	0	0	0	
Unit 1	2	2	2	2	2	2	2	2	2	2	2	2	2	1
Unit 2	1	1	2	2	2	2	2	1	1	2	2	2	.2	1
Spill gates open	0	0	0	0	0	0	0	0	0	0	0	0	0	
River Flow	28.2	28.2	26.7	26.7	26.7	26.7	26.7	26.7	26.7	25.4	25.4	25.4	26.1	
% Gate S.U. 1	-35	35	35	35	35	35	35	35	35	35	35	35	35	
% Gate S.U. 2	35	35	3,5	35	35	35	35	35	35	35	35	35	35	
Vel. Hld. Chan.	• •6	.6	.6	.6	.6	•6	.6	. 6	.6	• •6	.6	• •6	.6	
Vel. Weir 1	.7.0	7.0	7.0	7.0	7.0	7.0	7.0	4.0	4.0	4.0	. 4.0	4.0	4.0	
Vel. Weir 2 [.]	7.0	. 7.0	7.0	7.0	7.0	7.0	7.0	4.0	4.0	4.0	4.0	4.0	4.0	
Weir Gates open	3	3	3	. 3	3	3	3	3	3	- 3	3	3	3	
Ft. Below TR	•									•				
Weir 1	3.2	3.2	3.2	3.2	3.2	3.2	3.2	5.3	5.3	5.0	5.0	5.0	5.0	
Weir 2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	5.3	5.3	5.0	5.0	5.0	5.0	
Tailrace Elev.	16.2	16.2	12.0	12.0	12.0	12.0	12.0	16.2	18.0	12.0	12.0	12.0	12.0	
Hld. Chan. Elev.	16.8	16.8	-	-	-	-	-	-	18.5	-	-	-	-	
Crowder Position	1	1	1	1	1	1	1	1	1	1	1	1	1	*
Cr. Gate Position	1	2	1	2	1	2	1	· 2	1	, ' -	1	2	1	

Table 4. Continued.

Date	5 .	June	· .		7 June		
Lift Number	5	6	. 1	2	3	4	
Parameters*							
Shad Taken	1+1**	0	0	1***	1	0	
Total Fish	8502	9256	3700	5088	1501	800	
Rel. Loc.	3	3	3	3	3	3	
Lift Time	0558	0632	0515	0532	0600	0635	
Min. Fished	10	15	o ·	5	. 15	15	
Air Temp.	63	63	61	61	65	65	
Water Temp.	76	76 ·	75	75	75 .	· 75	
Weather	3	. 3	· 1	1	1	1	
At. Pressure	29.74	29.78	29.49	29.49	29.50	29.50	
Small Gen. on	0	4	· o	0	0	7	
Large Gen. on	0	0	0	0 .	0	3	
Unit 1	2,	1	2	2	2	1	
Unit 2	2	2	. 2 .	2	. 2	1	
Spill gates open	0	0	0	0	0 ·	0	
River Flow	26.1	26.1	54.2	54.2	54.2	54.2	
% Gate S.U. 1	35	35	35	35	35	35	
% Gate S.U. 2	35	35	0 .	35	35	35	
Vel. Hld. Chan.	.6	.6	-	•6	.6	•6	
Vel. Weir 1	4.0	4.0	-	7.0	7.0	7.0	
Vel. Weir 2	4.0	4.0	-	7.0	7.0	7.0	
Weir Gates open	3	3	3	3	3	3	
Ft. Below TR						•	
Weir 1	5.0	5.0	5.0	3.0	3.0	3.0	
Weir 2	5.0	5.0	5.0	3.0	3.0	3.0	
Tailrace Elev.	12.0	16.0	12.0	12.0	12.0	19.5	
Hld. Chan. Elev.	- ,	-	12.1	-	-	20.4	
Crowder Position -	1	1	1	1	1	1	
Cr. Gate Position	2	1	-	1	2	. 1	

^{*} Explanation of abreviations and code numbers given on page 23 .
** Recapture, not included in final total.
*** Shad had been dead 2-3 days at time of collection.

PARAMETER	ABBREVIATION	CODE
		>
Date	Date	-
Lift Number	Lift Number	•
Number of shad in lift	Shad Taken	-
Total number of fish in lift	Total Fish	-
Location shad were released	Rel. Loc.	1. Above dam 2. Re- turned to tailrace
Time of lift	Lift Time	EST
Fishing Time (minutes)	Min. Fished	-
Air Temperature	Air Temp.	° _F
Vater Temperature	Water Temp.	$o_{ m F}^-$
Weather	Weather	1. Clear, 2. Partly cloudy, 3. Overcast 4. Light Rain, 5.
		Heavy Rain, 6. Fog
Barometric pressure Number of small generators	At. Pressure	inches
operating Number of large generators	Small Gen. on	9. Varying
operating	Large Gen. on	9. Varying
Generating status of Unit 1	Unit 1	1. On, 2. Off
Generating status of Unit 2	Unit 2	1. On, 2. Off
Number of spill gates open	Spill gates open	
Natural river flow	River Flow	. cfs x 1000
Gate opening (%) of station	River Flow	. CIB X 1000
service Unit 1	% Gate S.U. 1	_
	& Gate 5.0. I	
Gate opening (%) of station	W C-11 C T 0	
service Unit 2	% Gate S.U. 2	<u></u>
Vater Velocity in holding		
Channel (ft/sec)	Vel. Hld. Chan.	999. Varying
Attraction velocity at		
Entrance #1 (ft/sec)	Vel. Weir l	999. Varying
Attraction velocity at		
Entrance #2 (ft/sec)	Vel. Weir 2	999. Varying
Number of weir gates open	Weir gates open	1. #1, 2. #2, 3. Both
Setting of each weir gate	Ft. Below TR	-
Setting of Weir #1	Weir 1	999. Varying
Setting of Weir #2	Weir 2	999. Varying
Cailrace Elevation	Tailrace Elev.	999. Varying
Holding Channel Elevation	Hld. Chan. Elev.	999. Varying
Crowder Fishing Position	Crowder Position	1. Full, 2. Reduced
Crowder Gate Position	Cr. Gate Position	1. Full Open, 2. Intermediate Open
		and a mountain obem

22

Table 5. Number of American shad (Alosa sapidissima) taken in the Conowingo Dam Fish Collection Facility, 1973-1975, under various conditions of generation of the Conowingo Hydro-electric Station.

No. Units Operating Small Large 0 0 0 1 0 1 0 0 1 0 0 0 0 0 0 0 0 0 0	OFF	OFF ON OFF ON ON OFF ON ON OFF ON ON ON ON ON	10 3 37 1 0 5 1 0 0	1974 43 15 0 0 1 10 0 0 8 12 1	1975 4 50 0 4 5 0 6 0 4	57 68 37 1 5 20 1 6 8 16	13.3 4.0 49.3 1.3 - 6.7 1.3	33.6 11.7 - 0.8 7.8 - 6.3 9.4 0.8	4.8 60.2 - 4.8 6.0 - 7.2 - 4.8	19.9 23.8 12.9 0.3 1.7 7.0 0.3 2.1 2.8 5.6 0.3
1 0 1 0 1 0 1 0 0 1 0 0 0 0 0 0 0 0 0 0	OFF OFF OFF OFF OFF OFF OFF	ON OFF ON ON OFF ON ON ON ON ON ON ON	3 37 1 0 5 1 0 0	15 0 0 1 10 0 0 8 12 1	50 0 0 4 5 0 6 0 4	68 37 1 5 20 1 6 8	4.0 49.3 1.3 - 6.7	11.7 - 0.8 7.8 - - 6.3 9.4	4.8 6.0 7.2 4.8	23.8 12.9 0.3 1.7 7.0 0.3 2.1 2.8 5.6
1 0 1 0 0 2 0 3 0 0 3 1 4 0 4 1 4 1 4 2 4 2 4 2 4 2 4 4 5 5 2	OFF ON OFF OFF OFF OFF OFF OFF	OFF OFF ON OFF ON ON ON ON ON ON ON	37 1 0 5 1 0 0	0 0 1 10 0 0 8 12 1	0 4 5 0 6 0 4	37 1 5 20 1 6 8 16	49.3 1.3 - 6.7	0.8 7.8 - 6.3 9.4		12.9 0.3 1.7 7.0 0.3 2.1 2.8 5.6
1 0 2 0 3 0 3 0 3 1 4 0 0 4 1 1 4 2 4 2 4 2 4 4 2 4 4 5 5 2	ON OFF OFF OFF OFF OFF ON OFF	OFF ON ON OFF ON ON ON ON ON ON	1 0 5 1 0 0	0 1 10 0 0 8 12 1	0 4 5 0 6 0 4	1 5 20 1 6 8 16	1.3	0.8 7.8 - - 6.3 9.4	4.8 6.0 - 7.2 - 4.8	0.3 1.7 7.0 0.3 2.1 2.8 5.6
2 0 3 0 3 0 3 1 4 0 0 4 1 1 4 2 4 2 4 2 4 2 4 4 5 5 2	OFF OFF OFF OFF OFF ON OFF	ON OFF ON ON ON ON ON OFF	0 5 1 0 0	1 10 0 0 8 12 1	4 5 0 6 0 4	- 5 20 1 6 8 16	6.7	0.8 7.8 - - 6.3 9.4	4.8 6.0 - 7.2 - 4.8	1.7 7.0 0.3 2.1 2.8 5.6
3 0 0 3 1 4 0 0 4 1 1 4 2 4 2 4 2 4 2 4 4 5 2 4 5 2	OFF OFF OFF OFF ON OFF	ON OFF ON ON ON OFF	5 1 0 0	10 0 0 8 12 1	5 0 6 0 4	20 1 6 8 16	6.7	7.8 - 6.3 9.4	6.0 - 7.2 - 4.8	7.0 0.3 2.1 2.8 5.6
3 0 3 1 4 0 4 1 4 1 4 2 4 2 4 2 4 2 4 3 4 4 5 2	OFF OFF OFF ON OFF	OFF ON ON ON ON OFF	1 0 0 0	0 0 8 12 1	0 6 0 4 0	1 6 8 16		- 6.3 9.4	7.2 - 4.8	0.3 2.1 2.8 5.6
3 1 4 0 4 1 4 1 4 2 4 2 4 2 4 3 4 4 5 2	OFF OFF OFF ON OFF	ON ON ON ON OFF	0 0	0 8 12 1	6 0 4 0	6 8 16	1.3	6.3 9.4	7.2 - 4.8	2.1 2.8 5.6
4 0 4 1 4 1 4 2 4 2 4 2 4 3 4 4 5 2	OFF OFF ON OFF	ON ON ON OFF	0	8 12 1	0 4 0	8 16	-	9.4	4.8	2.8 5.6
4 1 4 2 4 2 4 2 4 2 4 3 4 4 5 2	OFF ON OFF	ON ON OFF	0	12 1	4	16		9.4	4.8	5.6
4 1 4 2 4 2 4 2 4 3 4 4 5 2	ON OFF	on off	_	1	0		. -			
4 1 4 2 4 2 4 2 4 3 4 4 5 2	OFF	OFF	0 1		-	1	•	0.8	-	
4 2 4 2 4 3 4 4 5 2			1	0	_					
4 2 4 3 4 4 5 2	OFF				0	1	1.3	_	-	0.3
4 3 4 4 4 4 5 2	. 011	ON	0	12	6	18	-	9.4	7.2	6.3
4 3 4 4 4 4 5 2	ON	ON	0	1	0	. 1	-	0.8	-	0.3
4 4 4 4 5 2	OFF	ON	2	0	0	2	2.7	-	-	0.7
4 4 5 2	OFF	ON	0	6	0	. 6		4.7	, -	2.1
5 2	ON	ON	2	0	0	2	2.7		-	0.7
	OFF	ON	0	3	0	3	•	2.3	-	1.0
5 3	OFF	ON	1	2	0	3	1.3	1.6	-	1.0
5 4	OFF	ON	1	4	0	5	1.3	3.1	-	1.7
6 1	· OFF	ON	0	3	0	3		2.3		1.0
6 2	ON	ON	1	0	. 0	1	-	0.8	-	0.3
6 . 4	OFF	· ON	0	5	1	6	-	3.9	1.2	2.1
7 4	ON	ON	8	. 1	3	. 12	10.7	0.8	3.6	4.2
Changing		ging	3	0	. 0	3	4.0	-	-	1.0

* Does not include 1 dead shad taken on 7 June 1975.

Table 6. Weir gate setting test results, for 8 selected species, 21 April through 13 June 1975.

Date	21_	Apr	22	Apr	24	Apr	25	Apr	26	Apr	27	Apr	28	Apr	29	Apr	
No. Lifts Fishing Time (hr)	1.8	2.0	1.7	1.4	1.0	1.0	1.0	1.0	2.0	1.5	1.0	1.5	1.8	1.5	3 1.5	1.5	
Gate Setting	INT	FULL	INT	FULL	INT	FULL	Int	FULL	INT	FULL	INT	FULL	INT	FULL	INT	FULL	
Species						•											
Blueback herring	-	-	7147	319	30	65	. 1	-	. 25	21	<u>.</u>	-	-	-	-	-	
Alewife	3	6	104	10	•	-	115	9	34	115	73	104	• 9	2	-	•	
American shad	•	. •	-	, -	-	-	-	-	-	-	. · · -	-	•	-	-	-	
Gizzard shad	9	2	17	19	· 38	20	380	46	94	38	131	66	186	111	147	111	25
Carp	1	-	-	1	-	-	-	-	~	. •	-	-	1	-	-	~	•
Quillback	• • :	-	-	-	-	-	***	-	-	•	-	-	-	1	1.	1	
Channel catfish	· 4	1	-	` 1	-	4	-	- `	3	•	2	1	137	34	124	61	
White perch	2	•	-		-	-	332	11	98	. 19	149	58	164	31	33	20	
Total	19	9	7268	350	68	89	828	66	254	193	355	229	516	179	305	173	

Table 6 . Continued.

Date No. Lifts	<u>30</u>	Apr 4	13	May 3	<u>3</u>	May 4	4	May 3	<u> 5</u>	<u>Мау</u> 3	<u>6</u>	May 4	- 7	<u>Мау</u> 3	<u>8</u>	May 5	
Fishing Time (hr) Gate Setting	2.2 INT	2.0 FULL	1.6 INT	2.1 FULL	2.2 INT	1.7 FULL	1.8 INT	1.5 FULL	2.0 INT	1.5 FULL	1.5 INT	2.0 FULL	2.2 INT	1.5 FULL	2.8 INT	2.3 FULL	
Species		•		······································	· · · · · · · · · · · · · · · · · · ·												
Blueback herring	1	-	-	-	-	1	-	-	-	-	-	-	-	. •	412	2329	
Alewife	31	45	302	56	301	247	304	115	71	130	11	22	3	3	2	12	
American shad	• .	-	· -	-	-	-	-	-	-	-	-		•	-	-	-	
Gizzard shad	420	254	202	253	593	302	231	108	1061	504	133	236	143	67	359	356	
Carp	-	1	-	-	-	-	-	-	-	7	9	42	47	116	34	73	26
Quillback	-	-		-	-	. -	* . *	. •	-	2	-	5	3	1	-	. 3	
Channel catfish	13	16	8	. 4	4	2	-	-	4	1	7	3	8	5	4	4	
White perch°	80	65	147	65	724	139	362	54	271	147	1	6	1	1	52	27	
Total	545	381	659	378	1672	691	897	277	1407	. 791	161	314	205	193	863	2804	

Table 6 . Continued.

Date		May		May	11_	May	12	May		May	14	May	16		17	May	
No. Lifts Fishing Time	3	3	3	3	4	3	3	5 .	4	4	4	4	3	3	4	4	
(hr)	1.5	1.5	1.5	2.0	1.8	1.5	1.3	2.0	2.0	1.8	1.6	1.4	.8	.7	1.8	1.8	
Gate Setting	INT	FULL	INT	FULL	INT	FULL	INT	FULL	INT	FULL	INT	FULL	INT	FULL	INT	FULL.	
Species	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,										•		•		-		-
Blueback herring	9	3	2	1	17	- .	-	-	-	-	. =	-	1092	3676	686	784	
Alewife	1	3	13	11	129	52	8	1	3	3	1	1	-	8	-	-	
American shad	-	-	.	-	-	-	-	-	-	-	-	-	٠.	-	- ·	-	
Gizzard shad	21	41	186	312	501	433	262	302	291	212	371	341	5628	2816	1992	1498	
Carp	3	-	4	37	118	308	57	632	23	22	11	8	56	704	36	1056	27
Quillback	1	-	1	27	537	. 67	96	283	62	111		23	-	124	8	232	
Channel catfish	4 .	. 9	3	10	187	6	8	22	113	62	131	73	16	16	62	170	
White perch	48	57	34	`137	523	1153	159	265	49	29	1307	102	3848	3672	2456	2990	
			· · · · · · · · · · · · · · · · · · ·			·····											
Total	87	113	243	535	2012	2019	590	1505	541	439	1821	548	10640	11016	5240	6730	

Table 6 . Continued.

Date	18	May	<u>19</u>	May		May		May		May	23	May 3		May	<u>25</u>	May	
No. Lifts Fishing Time (hr) Gate Setting	1.8 INT	2.0 FULL	1.5 INT	1.8 FULL	2.0 INT	1.8 FULL	1.9 INT	1.8 FULL	1.4 INT	1.4 FULL	1.6 INT	1.0 FULL	1.8 INT	2.0 FULL	1.5 INT	4 1.9 FULL	
Species				, , , , , , , , , , , , , , , , , , , 		····								· · · · · · · · · · · · · · · · · · ·	······································		
Blueback herring	206	526	2	1	-	2	24	11	436	1797	7137	3700	1960	1456	24	32	
Alewife	-	-	-	-	-	. · -	-	-	16	-	-	-	-	-	-	-	
American shad	-	1		-	-	-	-	-	1	1	2	5	. 3	3	1	1	
Gizzard shad	918	834	404	376	940	1158	2500	1736	1272	1976	3134	800	1616	2920	3728	5120	
Carp	94	810	140	236	110	482	24	52	168	358	16	-	-	8	5	8	28
Quillback	16	272	· 48	4	17	480	* . •	8	132	466	-	5	-	-	-	. -	
Channel catfish	112	84	244	678	770	1789	320	380	1152	44	13	-	4	4	131	608	
White perch	3998	10926	598	1154	180	405	5856	1291	292	2837	4665	2200	6932	7728	3402	4328	
Total	5344	13453	1436	2449	2017	4316	8724	3478	3469	7479	14967	6710	10515	12119	7291	10097	

Table 6 . Continued.

Date		May		May		May		May	-	May	31	May	1	Jun	2	Jun	
No. Lifts Fishing Time	8	,	6	6	, 4	4	4	4	4	. 3	5	4)	4	4	4	
(hr)	3.5	3.0	2.7	3.0	2.0	1.5	1.8	1.8	1.8	1.5	2.3	2.0	2.5	2.0	1.8	1.8	
Gate Setting	INT	FULL	INT	FULL	INT	FULL	INT	FULL	INT	FULL	INT	FULL	INT	FULL	INT	FULL	
Species													•				
Blueback herring	7	13	32	. 8	24	29	-	18	16	-	14	9	13	3	15	17	
Alewife	-	•	-	-	-	-		· -	-	. •	-			-	-	-	
American shad	27	13	. 1	2	-	-	3	2		.1	2	2	2	1	2	2	
Gizzard shad	3940	7983	2477	2604	2732	1854	2409	1904	310	360	2153	730	1274	1663	752	783	Α.
Carp	62	330	119	4604	2000	290	55	36	-	-	-	-	357	7	200	657	67
Quillback	-	-	16	3032	1000	152	38	193	-	6	-	1	255	1	50	212	
Channel catfish	3391	4390	1470	1694		15	1.3	70	96	155	141	41	172	97	614	447	
White perch	2480	2099	6051	2928	812	956	156	216	380	191	609	185	216	64	358	570	
Total	9907	14828	10166	14872	6568	3296	2671	2439	802	713	2919	867	2289	1836	1991	2688	

Table 6 . Continued.

Date	3	Jun	4	Jun	5	Jun	6	Jun		Jun	8	Jun	9	Jun	10	Jun	
No. Lifts Fishing Time	6	5	5	4	5	5	4	4	4	3	4	4	3	3	4	4	
(hr) Gate Setting	1.9 INT	1.3 FULL	1.6 INT	1.3 FULL	1.7 INT	1.6 FULL	1.5 INT	1.5 FULL	2.0 INT	1.3 FULL	1.8 INT	2.0 FULL	1.5 INT	1.5 FULL	2.0 INT	1.8 FULL	
Species											•						
Blueback herring	1108	882	528	384	780	122	-	8	100	-		-	-	-	-	-	
Alewife	-	2	-			-	-		, :	-	· -	-	-	-	-	-	
American shad	2	-	. 1	-	1	-	- '	-	-	1	-		• -	-	.=	-	
Gizzard shad	9540	4838	725	784	508	1008	1070	882	2756	700	1144	778	1884	516	744	335	
Carp	24	32	-	-	- 4	38	52	26	32	12	-	4	4	2	2	4	30
Quillback		8	74	-	8	8	100	25	-	-	-	8	-	-	2	-	. •
Channel catfish	520	460	14	52	96	130	4566	2028	1224	936	1805	3826	324	64	94	63	
White perch	3592	5284	4074	3300	10036	6942	636	724	524	264	30	26	-	12	3	-	
Total	14785	11506	5415	4520	11434	8248	6424	3693	4636	1913	2979	4642	2212	594	845	402	

Table 6. Continued.

Date	11_	Jun	12	Jun	13	Jun					•	
No. Lifts	4	3	4	4	4	3					ON TOTALS	
Fishing Time (hr) Gate Setting	2.3 INT	1.5 FULL	1.6 INT	1.7 FULL	1.7 INT	1.5 FULL		91.9 INT		Fish/ Hour (INT)	Fish/ Hour (FULL)	86.0 FULL
Species												
Blueback herring	2		8	-	-	2		25534		277.8	172.6	14847
Alewife	-	-		-	-	-		1534		16.7	28.9	2488
American shad	•	-	. - .	-	-	-		48		•5	.4	35
Gizzard shad	1146	986	1894	1136	1402	477	• •	66768		726.5	624.3	53688
Carp	15	6	4	0.	4	5		3881		42.2	128.1	11014
Quillback	4	<i>'</i> -	-	-	32	36		2520		27.4	67.4	5796
Channel catfish	217	154	60	112	280	51		18685	:	203.3	219.4	18865
White perch	43	8.	, 454	. 40	26	85		67243		731.7	741.8	63791
						·					·	
Total	1425	1154	. 2420	1288	1744	656	INT FULL	186,212 170,527	HOURS	91.9 86.0	MEAN TOTAL HOURS 2026/hr 1982/hr	

^{*} First 2 lifts of each day and lifts when weir gate schedule could not be maintained are not included.

INT = Intermediate gate setting (12 in. opening)

FULL = Full open gate setting

Table 7. Velocity and volume schedule test results for eight selected species, 8 May through 13 June 1975.

Date	8 M	lay	9 M	ay.	10 M	lay	11 M	lay	12 M	ay	13 M	lay
No. Lifts* Fishing Time	9	2	3	3	3	4	4	4	4	5	5	4
(hr) Velocity + Volume	4.3 HV-HF	.8 LV-HF	1.5 HV-LF	1.5 LV-LF	2.0 HV-LF	1.8 LV-LF	1.8 HV-HF	1.8 LV-HF	1.8 HV-HF	1.8 LV-HF	2.3 HV-LF	1.9 LV-LF
Species												
Blueback herring	701	2040	5	8	1	2	-	1	• •	•	-	-
Alewife	9	0	3	0	13	11	4	68 .	2	15	. 3	3
American shad	-	-	-	· -	. •	-	-	-	=,	-		-
Gizzard shad	532	231	20	42	313	204	505	401	251	448	216	327
Carp	. 108	1	-	3	28	13	128	493	70	619	3	42
Quillback	, · · 3	-		. 1	26	2	475	132	6	379	-	173
Channel catfish	. 37	1	6	7	3	37	186	60	120	11	357	98
White perch	57	20	29	76	97	95	357	1452	590	374	13515	43
Total	1447	2293	63	137	481	364	1655	2607	1039	1846	14094	686

Ĺ

Table 7 . Continued.

Date	14	May	15 May	7	17 1	May	18 M	iay	19 M	ay	20 M	lay
No. Lifts*	5	4	7	-	4	5	4	3	3	5	4	5
Fishing Time (hr)	2.2	. 1.1	1.5	_	1.5	2.3	2.0	1.5	1.6	1.9	2.0	1.9
Velocity + Volume	HV-LF	LV-LF	HV-HF		HV-HF	LV-HF	HV-LF	LV-LF	LV-LF	LV-LF	HV-HF	LV-HF
Species												
Blueback herring	-	-	5768	-	694	776	664	32	-	3	-	2
Alewife	1	1 .	8	-	•	-	-	. • .	•	-	-	-
American shad	-	-	~ .	-	. •	•	1	-		•	-	-
Gizzard shad	436	312	8944	· -	966	2624	996	648	284	496	1012	1386
Carp	22	7	760	- .	4	1088	16	888	240	136	502	90
Quillback	24	-	124	-	•	240	-	288	48	28	496	1
Channel catfish	52	152	32	•	24	208	12	176	544	379	1486	1073
White perch	47	26362	15156	-	20686	4760	10800	2160	288	1464	108	10477
Total	582	26834	30792		22374	9696	12489	4192	1404	2506	3604	13029

Ų

Table 7. Continued.

Date		21 Ma	у .	22	May	23	May	24 M	ay	25 N	lay	
No. Lifts*	2	4	2	5	5	3	6	4	5	4	4	
Fishing Time (hr)	1.0	2.3	0.3	1.1	1.9	1.3	1.5	2.2	1.7	2.3	1.3	
Velocity + Volume	HV-HF	LV-HF	LV-LF	HV-LF	LV-LF	HV-LF	LV-LF	HV-HF	LV-LF	HV-HF	LV-LF	
Species			<u> </u>									
Blueback herring	-	16	19	6093	140	1772	11177	56	3610	-	. 56	
Alewife	. -	- ·	-	-	16	-	-		.	-	-	
American shad	-	-	-	1	1	2	5	. 1	5	- .	2	
Gizzard shad	1328	2252	656	2780	1568	1724	2306	1928	3876	4216	4816	
Carp	4	72	-	-	· 526	16	-	8	-	13	-	
Quillback	· =	8		. •	598	•	5	•	.	-	•	
Channel catfish	4	664	36	20	72	8	37	28	64	243	1008	
White perch	3128	1284	2731	10620	1714	940	11749	2284	32376	3418	6896	
	·····											
Total	4464	4296	3442	19514	4635	4462	25279	4305	39931	7890	12778	

Table 7. Continued.

Date	26 M	lay	27 M	lay	28 M	ay	29 M	lay	30 May	r	31 1	lay
No. Lifts*	5	11	3	` 11	4	5	5	4	8	-	3	7
Fishing Time (hr) Velocity + Volume	1.8 LV-HF	4.9 hv-lf	1.2 HV-LF	5.0 LV-LF	1.8 HV-HF	1.9 LV-LF	2.0 HV-HF	1.8 HV-LF	3.5 HV-LF	-	1.3 HV-LF	3.3 LV-LF
Species												. **
Blueback herring	10	10	•	40	24	29	16	15	21	-	1	` 32
Alewife	-	-	. -	-	-	-	· -	-	-	-	•	-
American shad	7	33	-	3		-	3	2	1	-	3	1
Gizzard shad	6014	6629	1276	4077	2068	2570	2761	1824	735	-	682	2266
Carp	144	248	4544	179	2184	90	42	73	-	-	-	
Quillback	** *	-	3016	32	1168	-	196	35	6	-	-	1
Channel catfish	307	10666	· `_	10316	-	67	81	106	391 ·	-	25	402
White perch	1654	10020	228	9915	580	1820	238	1710	1326		17	1817
Total	8136	27606	9064	24562	6024	4576	33 37	3765	2480	-	728	4519

36

Table 7. Continued.

Date		1 Jun		2 Ј	un	3 J	un	4 J	un	•	5 Jun	
No. Lifts*	4	1	5	3	6	7	5	4	8	4	2	5
Fishing Time (hr) Velocity + Volume	2.0 HV-HF	LV-HF	2.3 LV-LF	1.0 LV-HF	2.8 HV-LF	1.0 HV-LF	2.5 LV-LF	2.0 HV-LF	1.0 LV-LF	1.8 HV-HF	1.0 LV-HF	0.5 LV-LF
Species												
Blueback herring	5	-	11	4	78	2050	140	42	5145	8	8	1312
Alewife	-	• •	-	-	-	-	-	-	-	-	-	13
American shad	2	-	1	-	4 3	2	1	-	1	-	-	1
Gizzard shad	2141	46	870	453	1182	10350	3728	317	2067	604	692	256
Carp	280	2	4	657	200	·	56		•	16	28	-
Quillback	255	-	1	212	50	-	8	74	-	16	•	-
Channel catfish	197	10	318	268	1093	900	280	34	32	106	56	64
White perch	204	. 8	1328	530	1798	9400	5976	826	24548	90	876	24012
		•									·	
Total	3084	66	2533	2124	4405	22702	10189	1293	31793	840	1660	25659

Table 7 . Continued.

Date		6 Jun		7 .	Jun	8	Jun	9	Jun	10	Jun	
No. Lifts* Fishing Time	5	5	1	4	4	4	5	2	6	5	4	
(hr) Velocity + Volume	2.3 LV-HF	0.3 HV-LF	0.5 LV-LF	1.1 HV-LF	2.3 LV-LF	2.0 HV-LF	2.0 LV-LF	1.0 HV-HF	2.8 LV-HF	2.3 HV-LF	1.8 LV-LF	
verocity + volume	TA-UE	HV-DE	TA-116	un-ne	114 - 145			nv-ns	TA-UL	nv-LF	TA - TE	
Species					•							
Blueback herring	4	54	. -	156	-		-	-	-	-		
Alewife	·-	<u>-</u> .	•	-	-	-		. - '		•	-	
American shad	-	-		. 2	-	-	•			-	-	
Gizzard shad	1154	1598	600	1436	2228	896	2026	1264	2588	580	649	
Carp	.78	-	• -	- '	44	4	•	. 2	4	4	2	
Quillback	. 125	-	. • •	-		. 8		•	-	-	-	
Channel catfish	6502	444	48	396	1988	618	9013	86	4384	1170	37	
White perch	152	10594	212	3760	212	. 20	36	2	-	28	2	
<u></u>												************
Total	8015	12690	860	5750	4472	1546	11075	1354	6976	1782	690	

Table 7 . Continued.

Date	11	Jun	12	Jun	13	Jun				SEASON	TOTALS			
No. Lifts*	5	3	7	1	4	4		Mean		. Mean		Mean		Mean
Fishing Time (hr)	2.3	1.8	3.2	0.1	2.0	1.8		9.3		Hr 5.3		0.2		1.4
Velocity + Volume	HV-HF	LV-HF	LV-HF	LV-LF	HV-LF	LV-LF		-HF		-HF		7-LF		-LF
Species .												· · · · · · · · · · · · · · · · · · ·		
Blueback herring	-	2	-	-	- .	2	7272	248.2	2863	113.2	10962	272.7	21758	525.6
Alewife	-	-	-		-	-	23	0.8	83	3.3	20	0.5	44	1.1
American shad	-	-	. -	-		-	6	0.2	7	0.3	50	1.2	21	0.5
Gizzard shad	5054	1078	2302	432	1501	1170	33574	1145.9	21669	856.5	35775	889.9	38190	922.5
Carp	11	10	4	-	1	8	4132	141.0	3290	130.0	53,99	134.3	1998	48.3
Quillback	-	4		-	-	58	2739	93.5	1101	43.5	3287	81.8	1195	28.9
Channel catfish	1233	138	156	56	1155	274	2544	86.8	13838	547.0	18000	447.8	24961	602.9
White perch	5	46	46	144	287	16	46903	1600.8	21679	856.9	76350	1899.3	155704	3761.0
Total	6303	1278	2508	632	2944	1528	98512	3362.2	67548	2669,9	149844	2727.5	243902	5891.4

^{*} The first lift of each day and lifts when the velocity volume schedule could not be followed are not included.

HV - High Velocity

LV - Low Velocity

HF - High Flow

LF - Low Flow

Table 8. Comparison of the mean catch per hour with respect to velocity and volume of flow for eight selected species, 8 May through 13 June 1975.

	Slueback H	erring ows			Alevi	.te .ows			American Flo		***************************************		Gizzar Fl	d shad	
Velocities	HP	LF	Total	Velocities	, HP	LP	Total	Velocities	HF	LF	Total	Velocities	HF	LF	Tota
EA.	248.2	272.7	520.9	HV	0.8	0.5	1.3	HA	0.2	1.3	1.5	HV	1145.9	889.9	2035.
LV	113.2	525.6	638.8	LV	3.3	1.1	4.4	LV	0.3	0.5	0.8	LV	856.5	922.5	1779.
Total	361.4	798.3		Total	4.1	1.6		Total	0.5	i.8		Total	2002.4	1812.4	

Table 8. Continued.

	Carp F1	ovs			Quillb:	ack Lows				l catfish lows			White F	perch lows	
Yelocities	Hr	LF	Total	<u> Velocities</u>	HF	LF	Total	Velocities	HP	LP	Total	Velocities	HP	LP_	Total
HV LV	141.0 130.0	134.3 48.3	275.3 178.3	ra Ha	· 93.5 43.5	447.8 602.9	541.3 646.4	ra Ha	160.8 856.9	1899.3 3761.0	2060.1 4617.9	HC LV	3362.2 2669.9	3727.5 5891.4	7089.7 8561.3
Total	271.0	182.6		Total	137.0	1049.7	٠,	Total	1017.7	5660.3		Total	6032.1	9618.9	

HV - High Velocity
LV - Low Velocity
HY - High Flow
LF - Low Flow

£

Table 9. Time of day American shad (Alosa sapidissima) were taken in the Conowingo Dam Fish Collection Facility, 18 May through 7 June 1975.

Date Water Temp (F)	18 May 67	22 May 69	23 May 70.	24 May 72	25 May 73	26 May 74	27 May 74	29 May 75	30 May 75	31 May 74	1 Jun 75	2 Jun 75	3 Jun 76	4 Jun 75	5 Jun 76	.7 Jun 75	Total	7.
Time (EST)			•															
0400-0459	_	_	_	_	_	_	1	_				_		1	_	_	2	2.4
0500-0559	_	1	3	_		1	2	_	-		1	1	1	-	1	_	11	13.3
0600-0659	-	-	2	2	1	32	-	1	1	1	-	ī	_	-	-	1	. 42	50.6
0700-0759	1	_	-	3.	ī	-	-	ī	_	-	-	2	1	-	-	-	9	10.8
0800-0859	-	-		1	-	6	-	2	_	-	-	-	_	-	-	_	9	10.8
0900-0959	-	1	2	-	_	_	_	1	-	3	1	-	-	-	-	-	8	9.6
1000-1059	-	-	•	-	-	1	-	-	-	-	1	-	-	-	-	-	. 2	2.4
Total.	1	2	7	. 6	· 2	40	3	· 5	1	4	3	4	2	1	1	1*	83	

^{*} One shad collected at 0532 hr not included. Shad had been dead 2-3 days at time of collection.

41

Table 10. Comparison of the percentage of American shad (Alosa sapidissima) taken in the Conowingo Dam Fish Collection Facility with water temperature, 1972-1975.

56 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73	0 - 0 - 2 0.7 2 0.7 0 - 2 0.7 0 - 1 0.3 0 - 0 - 4 1.4 17 5.8 24 8.2 16 39.6	No. 0 2 0 1 0 3 1 3 1 0 4 0 10 17	2.7 - 1.3 - 2.3 2.3 4.0 1.3 - 4.3	No. 6 3 0 0 3 0 0 1 0 1 2	974 % 4.7 2.3 - 2.3 - 0.8	No. 0 0 0 0 0 0 0 0 0 1 0	975 % 1.2	No. 6 5 2 3 5 1 4 1 1 9 18	% 1.0 0.9 0.3 0.5 0.5 0.9 0.2 0.7 0.2 0.2 1.6 3.1
58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73	0 - 2 0.7 2 0.7 0 - 2 0.7 0 - 1 0.3 0 - 4 1.4 17 5.8 24 8.2	2 0 1 0 3 1 3 1 0 4 0	1.3 - 2.3 2.3 4.0 1.3 - 4.3	3 0 0 3 0 0 0 0 1	2.3 - 2.3 - - 0.8	0 0 0 0 0 0 0 0		5 2 3 3 5 1 4 1 1	0.9 0.3 0.5 0.5 0.9 0.2 0.7 0.2 0.2
59 60 61 62 63 64 65 66 67 68 69 70 71 72 73	2 0.7 2 0.7 0 - 2 0.7 0 - 1 0.3 0 - 4 1.4 17 5.8 24 8.2	2 0 1 0 3 1 3 1 0 4 0	1.3 - 2.3 2.3 4.0 1.3 - 4.3	3 0 0 3 0 0 0 0 1	2.3 - 2.3 - - 0.8	0 0 0 0 0 0 0		2 3 3 5 1 4 1 1	0.9 0.3 0.5 0.5 0.9 0.2 0.7 0.2 0.2
60 61 62 63 64 65 66 67 68 69 70 71 71 72	2 0.7 0 - 2 0.7 0 - 1 0.3 0 - 4 1.4 17 5.8 24 8.2	1 0 3 1 3 1 0 4 0	1.3 - 2.3 2.3 4.0 1.3 - 4.3	0 3 0 0 0 0 1	2.3	0 0 0 0 0 0 0		3 5 1 4 1 1	0.5 0.5 0.9 0.2 0.7 0.2 0.2
61 62 63 64 65 66 67 68 69 70 11 71 72	2 0.7 0 - 2 0.7 0 - 1 0.3 0 - 4 1.4 17 5.8 24 8.2	0 3 1 3 1 0 4 0 10	2.3 2.3 4.0 1.3 - 4.3	3 0 0 0 0 1 0	0.8	0 0 0 0 0 0		3 5 1 4 1 1 9	0.5 0.9 0.2 0.7 0.2 0.2 1.6
62 63 64 65 66 67 68 69 70 11 71 72	2 0.7 0 - 1 0.3 0 - 0 - 4 1.4 17 5.8 24 8.2	3 1 3 1 0 4 0 10	2.3 2.3 4.0 1.3 - 4.3	0 0 0 0 1 0	0.8	0 0 0 0 0		5 1 4 1 1 9	0.9 0.2 0.7 0.2 0.2 1.6
63 64 65 66 67 68 69 70 11 71 72	0 - 1 0.3 0 - 0 - 4 1.4 17 5.8 24 8.2	1 3 1 0 4 0 10	2.3 4.0 1.3 - 4.3	0 0 0 1 0	- 0.8	0 0 0 0		1 4 1 1 9	0.2 0.7 0.2 0.2 1.6
64 65 66 67 68 69 70 11 71 72	1 0.3 0 - 0 - 4 1.4 17 5.8 24 8.2	3 1 0 4 0 10	4.0 1.3 - 4.3 - 13.3	0 0 1 0 1	- 0.8	0 0 0 1		4 1 1 9	0.7 0.2 0.2 1.6
65 66 67 68 69 70 11 71 72	0 - 0 - 4 1.4 17 5.8 24 8.2	1 0 4 0 10	1.3 4.3 - 13.3	0 1 0 1	- 0.8	0 0 1		1 1 9	0.2 0.2 1.6
66 67 68 69 70 11 71 72 73	0 - 4 1.4 17 5.8 24 8.2	0 4 0 10	4.3	1 0 1	- 0.8	0 1		9	0.2 1.6
67 68 69 70 11 71 72 73	0 - 4 1.4 17 5.8 24 8.2	4 0 10	4.3 13.3	0 1	- 0.8	1		9	1.6
68 1 69 2 70 11 71 5 72 73	17 5.8 24 8.2	0 10	13.3	1	0.8				
69 2 70 11 71 5 72 73	24 8.2	10	13.3			0	-	18	3.1
70 11 71 5 72 73				2					
71 72 73	16 39.6	17			1.6	2	2.3	38	6.6
72 73		1.7	22.7	88	68.8	7.	8.3	228	39.3
73	57 19.5	0	-	17	13.3	0 ·		74	12.8
	3 1.0	0		0	-	6	7.1	. 9	1.6
	0 -	5	6.7	0	-	2	2.3	7	1.2
74	55 27.2	1	1.3	2	1.6	47	56.0	115	19.8
7 5	0 -	22	29.3	0	-	16	19.0	38	6.8
76	0 -	0	-	4	3.1	3	3.5	7	1.2
· 77	0 -	1	1.3	1	0.8	0	-	2	0.3
78	0 -	0	-	0	-	0	-	0	-
79	0 -	4	5.3	0	· -	0	-	4	0.7

Table 11. Daily totals of blueback herring, alewife and hickory shad transported from the Conowingo Dam Fish Collection Facility to Conowingo Pond, 23 April through 16 May 1975.

Dat	te	Alewife	Blueback Herring	Hickory Shad
April	23	0	7000	0
_	24	0	1105	0
	25	224	0	2 .
	26	163	52	, 0
	27	302	0	0
	30	60	. 0	0
May	1	3 58	0	0
_	2	209	. 0	1
	2 3	426	0	0
	4	30 8	. 0	0
	4 5	130	0	0
	6	28	0	0
	8	14	1841	. 0
	9	4	19	0
	10	24	3	0
	11	12 ·	1	0
	15	0	4800	0
	16	0	1900	0
Tot	tal	2262	16721	3

Total Fish 18,986

Table 12 . Time of day American shad (Alosa sapidissima) were taken by anglers fishing from shore just downstream from the Conowingo Dam Fish Collection Facility, 3 May through 31 May 1975.

Date	3 May	4 May	8 May	16 May	17 May	18 May	20 May	21 May	24 May	26 May	31 May	Total
Water Temp (F)	57	56	58	65	66	67	68	68	72	74	74	
Time (EST)						ř						٠.
0500-0559	-	_	-	_	_	1	-	_	3	8	-	12
0600-0659	-	-	-	1	3	-	_	-	8	1	1	14
0700-0759		1	-	-	1	_	-		1	2	1	6
0800-0859	_	-	-	-	2	-	1	-		-	1	4
0900-0959	2		-	1	-	_	_	1	•	-	-	4
1000-1059	•••	-	-	-	-	-	-		•••		-	•
1100-1159	-	-	1	-		-		-	-	. -	.	1
Total	2	1	1	2	6	1	1	1	12	11	3	41

43

Table 13. Count of effort for anglers fishing from shore and by boat in the Conowingo Dam tailrace, 2 May - 13 June 1975.

Shore	Angler	Effort (Effort (He	
	m . 1		No. Shad			<u>Side</u>	West S	
Date	Total	Mean	Caught		Total	Mean	Total	Mean
2 May	62	16	0		0	0	0	0
3 May	220	31	2		25	8	0	0
4 May	63	13	1.		0	0	0	0
5 May	109	18	0		0	0	0	0
6 May	77	13	0		0 .	0	0	0
7 May	123	21	0		2	2	0	0
8 Мау	214	24	1		2	2	2	2
9 May	99	20	0		0	0	0	0
10 May	152	30	0		4	4	8	4
11 May	249	42	0		12	3	8	3
12 May	60	12	0		0	0	4	2
13 May	53	9	0		0	0	0	0
14 May	88	15	0		. 22	7	0	0
15 May	121	17	0		0	0	0	0
16 May	69	12	2		0	0	0	0
17 May	248	35	6		64	9	8	4
18 May	310	34	1		74	9	19	3
19 May	78	11	0		32	6	0	0
20 May	97	16	1.	•	14	5	. 0	0
21 May	66	9	1		68	11	2	2
22 May	65	9	0		32	5	4	2
23 May	37	7	0		22	7	0	0
24 May	184	26	12		51	9	0	0
25 May	71	10	0		1.2	4	14	4
26 May	120	17	11		32	6	3	3
27 May	45	6	0		35	6	2	2
28 May	48	7	0		. 30	8	8	2
29 May	49	8	0		12	4	6	2
30 May	75	8	0		2	2	2	. 2
31 May	193	28	3		16	4	4	2
1 Jun	57	8	0		2	2	9	3
2 Jun	43	6	0		. 6	2	3	1
3 Jun	30	5	0		0	0	0	0
4 Jun	56	14	0		9	. 9	2	2
5 Jun	29	5	0	•	0	0	2 8	2 2
6 Jun	24	6	0		. 0	0	0	ō
7 Jun	170	24	0		12	4	0	Ŏ
8 Jun	118	17	Ō		8	2	Ō	Ö
9 Jun	11	4	Ŏ		Õ	ō	5	5

Table 13 . Continued.

Shore	Angler	Effort	(Hours)		Boat	Angler E	ffort (Ho	ours)
~	m 1	2.0	No. Shad	********	***************************************	Side	West S	
Date	Tota1	Mean	Caught	Tot	aı	Mean	Total	Mean
10 Jun	32	5	0		0	0	0	0
11 Jun	45	6	0		6	3	4	2
12 Jun	5	1	0 .		0	0	0	0
13 Jun	31	4	0		0	0	0	0
Total	4096		41	6	02		125	
Average Per Day	95.3	14.6	0.95	14	.0	3.3	2.9	1.3

NOTE: Mean calculated on the basis of the number of hours fishermen were present, not the number of hours in the census period.

Table 14. Status of generation of Conowingo Hydroelectric Station in relation to shore angler catch of American shad (Alosa sapidissima) for 1973-1975.

No. Units	Operating	Status of	Status of		lo. of S	had Caug	ht		% of C	atch	
Small	Large	Unit No. 1	Unit No. 2	1973	1974	1975	Total	1973	1974	1975	Total
1	o ·	OFF	ON	10	14	22	46	7.0	27.5	53.7	19.7
2	0	OFF	ON	0	2	3	. 5	-	3.9	7.3	2.1
3	0 .	OFF	ON	0	2	2	4	-	3.9	4.9	1.7
4	0	OFF	ON	0	5	1	6	_	9.8	2.4	2.6
4	1	OFF	ON	1	0	0	1	0.7	-	-	0.4
4	2	OFF	ON	2	0	σ	2	1.4	-	-	0.9
3 .	3	ON	ON .	1	0	0	1	0.7	-	-	0.4
4	3	OFF	ON	1	1	0	2	0.7	2.0		0.9
4	4	OFF	ON	0	9	. 0	9	-	17.6	-	3.8
4	4	ON	ON	1	0	0	1	0.7	-	-	0.4
5	4	OFF .	ON	1	6	2	9	0.7	11.8	4.9	3.8
5	4	ON	· ON	1	0	0	1	0.7	-	-	0.4
6	4	OFF	ON	1	3	3	7	0.7	5.9	7.3	3.0
7	3	ON	ON	2	0	0	2	1.4	-	-	0.9
7	4	ON	ON	92	9	· 8 .	109	64.8	17.6	19.5	46.6
Chan	ging	Chang	ing	5	0	0	5	3.5	-	-	2.1
Undete	rmined	_		24	0	0	24	16.9	-	-	10.6
Total	mined	***************************************		142	 51	41	234	10.7	• • • • • • • • • • • • • • • • • • •	-	

Ö

4

Table 15. Comparison of the percentage of American shad (Alosa sapidissima) taken in the Conowingo Dam Fish Collection Facility with time of day, 1972-1975.

•		1972	19	973		L974	1	975	To	tal**
Time of Day	No.	%	No.	%	No.	%	No.	%	No.	%
0400-0459	0	-	6	8.0	0	-	2	2.4	8	1.6
0500-0559	10	3.4	25	33.3	11	8.6	11*	13.3	57	11.5
0600-0659	113	38.6	22	29.3	24	18.8	42	50.6	. 201	40.7
0700-0759	66	22.6	6	8.0	20	15.6	9	10.8	101	20.4
0800-0859	64	21.8	2	2.7	17	13.3	9	10.8	92	18.6
0900-0959	5	1.7	1	1.3	8	6.3	8	9.6	22	4.5
1000-1059	2	0.7	2	2.7	7	5.5	2	2.4	13	2.6
1100-1159	1	0.3	2	2.7	13	10.2				
1200-1259	3	1.0	2	2.7	7	5.5				
1300-1359	7	2.4	1	1.3	6	4.7				
1400-1459	4	1.4	0	-	5	3.9				
1500-1559	0	-	2	. 2.7	2	1.6				
1600-1659	3	1.0	2	2.7	2	1.6				
1700-1759	9	3.1	2	2.7	4	3.1				
1800-1859	6	2.0	0	-	2	1.6	•		• .	
otal	293		75		128		83		494	

^{*} Does not include 1 American shad collected dead

^{**} Total column includes data from 0400-1059 hours only

4

Table 16. Comparison of the percentage of American shad (Alosa sapidissima) taken by shore anglers with time of day, 1973-1975.

	19	73	19	74	197	75	To	tal
Time of Day	No.	%	No.	%	No.	%	No.	%
0400-0459	1	0.7	0	- .	0		1	• 5
0500-0559	1	0.7	2	3.9	12	29.3	15	8.1
0600-0659	10	7.0	10	19.6	14	34.1	34	18.6
0700-0759	14	9.9	12	23.5	6	14.6	32	17.5
0800-0859	10	7.0	4	7.8	. 4	9.7	18	9.8
0900-0959	18	12.7	9	17.6	4	9.7	31	16.9
1000-1059	17	12.0	11	21.6	0	-	28	15.3
1100-1159	20	14.1	3	5.9	1	2.4	24	13.1
1200-1259*	11	.7.8				•		
1300-1359	8	5.6 ·						
1400-1459	11	7.8						
1500-1559	13	9.1						
1600-1659	3	2.1			•			
1700-1759	4	2.8						
1800-1859	1	0.7						
	142		51		41		183	

^{*} Creel census was not conducted past 1200 hours in 1974 and 1975. Total column does <u>not</u> include American shad taken after 11:59 hours in 1973.

Table 17 . Comparison of the percentage of American shad (\underline{Alosa} sapidissima) taken by shore anglers with water temperature 1973-1975.

	19	973	19	974	1	975	To	tal
emperature	No.	%	No.	%	No.	%	No.	%
56	0	-	0	-	1	2.4	1	0.4
57	1	0.7	. 1	2.0	2	4.8	4	1.7
58	4	2.8	3	5.9	1	2.4	8	3.4
59	10	7.0	3	5.9	0	-	13	5.5
60	8	5.6	7	13.7	0	-	15	6.4
61	33	23.2	8	15.7	0	-	41	17.5
62	27	19.0	14	27.5	0		41	17.5
63	56	39.4	3	5.9	0	-	59	25.2
64	3	2.1	. 0	_	0	•••	3	1.3
65	0	-	0	-	2	4.8	2	0.8
66	0	-	0	••	6	14.6	6	2.6
67	0	-	0	-	1	2.4	1	0.4
68	- 0	-	1	2.0	2	4.8	3	1.3
69	. 0	-	1	2.0	0	-	1	0.4
70	Ò	-	10	19.6	0		. 10	2.3
72	0	-	0	-	12	29.3	12	5.1
74	. 0	-	0	-	14	36.6	14	6.0
	142		51		41		234	

Ö

Table 18. Susquehanna River flows (expressed as a 24-hr average) and water temperatures at Conowingo Dam from 1 April-30 June 1972-1975. River flow data provided by Susquehanna Electric Company. River temperatures taken at Conowingo Dam Fish Collection Facility.

		1972		L973		1974	1975		
Date	Temp (F)	Flow (1000 cfs)							
pr 1	_	54.1	48.0	44.8	-	89.9	-	61,6	
2	-	56.1	50.0	54.8	-	94.0	-	58.1	
3	-	57.7	50.0	64.4	-	97.0	-	53.7	
4	-	62.6	51.0	87.6	_	147.4	• -	54.9	
5	-	65.6	50.0	133.6	-	200.2		63.7	
5	•	60.6	-	155.7	-	193.5	-	73.5	
7	/ _	57.6	-	163.0	-	164.8	-	74.1	
8	-	55.2	-	144.7	- .	133.6	-	68.8	
9	-	53.6	-	131.4	-	114.9	-	58.9	
10	-	49.5	-	118.5	-	104.4	•	53.1	
11	_	47.5	-	120.6	•-	93.1	-	48.7	
12	46.0	45.2	-	112.6	-	81.0	-	45.5	
13	-	45.8	-	99.8	-	83.7	-	43.9	
14	49.0	51.5	-	88.4	-	94.9	-	37.5	
15	-	68.3	• -	77.7	-	101.4	-	37.6	
16	-	103.1	50.0	65.4	-	101.4	-	34.3	
17	52.0	145.8	50.0	58.6	-	112.4	-	32.1	
18	52.0	225.6	51.0	50.9	54.0	97.3	51.0	32.5	
19	-	213.7	52.0	49.7	55.0	80.2	`	31.3	
20	-	168.6	55.0	42.5	53.0	68.1	_	30.6	
21	55.0	139.1	57.0	41.1	-	59.9	54.0	30.8	
22	-	121.5	58.0	40.9	56.0	53.0	54.0	30.3	
23	-	116.8	59.0	37.1	57.0	48.6	55.0	30.8	
24	53.0	107.6	60.0	34.9	56.0	44.1	56.0	32.5	
25	-	97.5	62.0	35.8	56.0	41.7	57.0	38.1	
26	53.0	86.5	61.0	42.6	58.0	38.5	59.0	53.3	
27	53.0	75.6	61.0	41.1	58.0	37.7	57.0	60.6	
28	53.0	67.6	62.0	53.7	57.0	36.1	58.0	55.9	
29	55.0	59.7	60.0	60.8	58.0	31.8	58.0	49.1	
30	55.0	53.3	56.0	63.0	59.0	30.8	57.0	45.7	
ay l	56.0	47.3	55.0	65.3	60.0	26.9	57.0	42.4	
2	57.0	42.4	56.0	62.1	61.0	26.7	58.0	39.6	
3	59.0	43.6	57.0	55.7	60.0	29.6	57.0	35.2	
4	59.0	52.3	58.0	51.0	62.0	32.1	56.0	47.4	
5 6	60.0	76.8		46.9	62.0	32.7	57.0	65.5	
6	59.0	101.4	58.0	46.8	62.0	31.0	58.0	79.9	
7	61.0	102.2	58.0	40.9	63.0	28.9	58.0	91.9	
8	61.0	88.1	58.0	37.6	61.0	28.8	58.0	94.4	
9	61.0	75.0	59.0	38.2	63.0	28.2	59.0	106.9	
10	-	86.8	59.0	38.1	61.0	28.0	61.0	92.3	
11	-	107.7	61.0	40.9	60.0	27.1	61.0	79.0	
12	-	139.3		55.0	60.0	33.6	60.0	63.9	
13	59.0	118.7	63.0	58.9	60.0	43.9	62.0	60.1	
14	58.0	97.0	63.0	64.2	59.0	63.6	63.0	58.7	
15	59.0	81.4	63.0	60.1	63.0	88.7	64.0	55.5	
16	60.0	74.2	60.0	54.7	64.0	86.6	65.0	64.9	
17	62.0	76.9	60.0	48.9	65.0	70.8	66.0	64.5	
18	63.0	74.9.	60.0	50.1	65.0	57.8	67.0	66.1	
19	65.0	75.6	59.0	48.5	66.0	49.8	68.0	61.5	
20	64.0	72.5	59.0	52.3	67.0	43.2	68.0	55.6	
21	66.0	68.3	58.0	52.1	68.0	41.7	68.0	49.7	

Table 18. Continued.

		1972		1973		L974		1975
Date	Temp (F)	Flow (1000 cfs)						
lay 22	66.0	64.5	57.0	59.0	70.0	37.9	69.0	44.5
23	66.0	59.7	60.0	69.3	71.0	37.7	70.0	41.4
24	67.0	54.4	59.0	75.8	70.0	32.4	72.0	38.5
25	68.0	47.6	59.0	73.9	70.0	. 29.5	73.0	38.5
26	67.0	44.2	58.0	68.8	70.0	27.8	74.0	36.3
27	68.0	37.9	57.0	65.3	70.0	27.3	74.0	36.2
28	68.0	34.6	56.0	72.3	70.0	25.7	75.0	32.5
29	69.0	30.6	58.0	86.6	70.0	23.1	75.0	32.1
30	70.0	27.2	59.0	78.9	71.0	22.2	75.0	28.8
31	70.0	30.5	-	75.4	70.0	21.7	74.0	29.3
un 1	70.0	47.5	63.0	66.2	70.0	22.3	74.0	35.4
2	70.0	53.2	64.0	57.0	70.0	23.6	75.0	28.2
3	71.0	53.5	65.0	52.5	69.0	22.8	76.0	26.7
4	71.0	52.4	66.0	45.5	69.0	24.8	75.0	25.4
5	71.0	50.7	67.0	43.9	70.0	20.9	76.0	26.1
6	70.0	43.3	69.0	42.5	70.0	19.4	76.0	34.4
7	71.0	42.3	70.0	44.5	70.0	17.0	75.0	54.2
8	70.0	41.8	70.0	53.8	70.0	16.7	74.0	92.6
ģ	70.0	39.7	74.0	50.2	70.0	15.8	71.0	91.8
10	72.0	33.4	75.0	45.8	71.0	11.4	68.0	67.9
11	70.0	31.5	77.0	40.9	72.0	14.5	67.0	53.1
12	70.0	28.7	-	34.8	72.0	13.1	68.0	50.2
13	70.0	28.6	_	33.5	72.0	12.4	68.0	52.0
14	70.0	29.2	79.0	29.3	73.0	12.8	_	52.8
15	70.0	25.2	79.0	27.1	73.0	11.7	-	55.9
16	71.0	27.3	79.0	29.1	73.0	13.4	•	49.6
17	71.0	30.0	79.0	30.2	74.0	14.8	-	45.6
18	71.0	36.2	77.0	28.0	74.0	22.3	-	45.3
19	72.0	40.2	76.0	25.4	76.0	24.8	-	43.2
20	74.0	44.0	75.0	23.8	76.0	28.8	-	37.6
21	74.0	47.3	75.0	22.5	76.0	22.1	-	33.8
22	-	409.0	75.0	25.1	76.0	19.5	٠.	30.8
23	-	868.4	75.0	26.5	76.0	20.0	-	25.6
24	-	969.4	73.0	29.4	77.0	19.3	-	24.4
25	-	801.4	73.0	27.0	75.0	19.7	-	21.6
26	-	559.3	73.0	25.0	75.0	18.8	-	21.8
27		365.6	74.0	26.4	75.0	16.8	-	26.1
28	_	235.6	75.0	24.4	74.0	20,3	<u>.</u>	38.8
29	-	198.5	75.0	33.9	74.0	21.5	-	41.2
30	-	100.8	77.0	37.9	74.0	23.2	_	36.0

Table 19. The distribution of boats in the tailrace of Conowingo Dam, under various conditions of generation of Conowingo Hydro-electric Station, 1973-1975.

a 11.	nits Operating				at Hrs : Side			_	at Hrs : Side			9 500	t Side			थ रहे	est Side	•
mall	Large	~ -	L973	1974	1975	Total	1973	1974	1975	Total	1973	1974	1975	Total	1973	1974	1975	Total
0	0		0	26	0	26	0	37	0	37		41.3	• _	41.3	_	58.7	_	58.7
1	0		21	29	26	76	15	64	31	110	58.3	31.2	45.6	40.9	41.7	68.8	54.4	59.1
2	0		6	7	12	25	16	8	9	33	27.3	46.7	57.1	43.1	72.7	53.3	42.9	56.9
3	0		6	24	11	41	14	24	2	40	30.0	50.0	84.6	50.6	70.0	50.0	15.4	49.4
4	0		22	75	0	97	32	63	. 0	95	40.7	54.3	-	50.5	59.3	45.7	-	49.5
5	0		0	0	0	0	6	0	0	6	-	-	-	_	100.0	-	-	100.0
0	1		3	0	. 0	3	0	0	0	0	100.0	-	-	100.0	-	-	-	-
3	1		3	0	0	3	2	0	0	2	60.0	-	-	60.0	40.0	-	-	40.0
4	1		39	97	33	169	38	23	4	65	50.6	80.8	89.2	72.2	49.4	19.2	10.8	27.8
5	1		0	2	.0	2	0	0	0	0	-	100.0	-	100.0	-	_	-	_
3	2		1	25	3	29	1	6	0	7	50.0	80.6	100.0	80.6	50.0	19.4	-	19.4
4	2		35	59	39	133	33	9	3	45	51.5	86.8	92.9	74.7	48.5	13.2	7.1	25.3
5	2		4	5	9	18	1	0	0	1	80.0	100.0	100.0	94.7	20.0	-	-	5.3
6	2		2	3	0	5	0	0	0	0	100.0	100.0	-	100.0	-	-	-	_
3	3		2	0	0	2	0	0	0	0	100.0	,-	-	100.0	-		-	_
4	3		31	70	32	133	8	18	- 9	35	79.5	79.5	88.4	79.2	20.5	21.5	21.6	20.8
5	3		30-	25	7	62	4	4	0	8	88.2	86.2	100.0	88.6	11.8	13.8	-	11.4
6	3		1	0	0	1 .	0	0	0	0	100.0	-	-	100.0	• ,	-	-	-
7	['] 3		7	. 0	37	` 44	1	0	6	7	87.5	-	86.0	86.3	12.5	_	14.0	13.7
3	4		9	. 0	0	9	. 4	0	0	4	69.2	-	-	69.2	30.8	•	-	30.8
4	. 4		38	34	18	90	5	6	2	13	88.4	85.0	90.0	87.4	11.6	15.0	10.0	12.6
5	4		25	55	8	88	4	2	0	. 6	86.2	96.5	100.0	93.6	13.8	3.5	-	6.4
6	4		- 22	8	27	57	1	2	4	7	95.7	80.0	87.1	89.1	4.3	20.0	12.9	10.9
7	4		804	219	340	1363	129	43	55	227	86.2	83.6	86.1	86.2	13.8	16.4	13.9	13.8
j.	Changing		40	0	0	, 40	3 [.]	0	0	3	93.0	-		93.0	7.0	-	-	7.0
	Total	1	1151	763	602	2516	317	309	125	732	78.4	72.5	82.8	77.5	21.6	27.5	17.2	22.5

 $\ddot{\sim}$