



SUSQUEHANNA RIVER BASIN COMMISSION

1721 North Front Street

Harrisburg, Pennsylvania 17102-2391

717-238-0423

May 11, 1989

DISPOSITION OF PROJECT APPLICATIONS RECEIVED BY THE COMMISSION PRIOR TO APRIL 21, 1989

<u>Applicant</u>	<u>Location</u>	<u>Type</u>	<u>Action</u>
------------------	-----------------	-------------	---------------

PROJECTS REQUIRING COMMISSION ACTION:*

Susquehanna River Basin Commission

Shrewsbury Borough 19890501	Shrewsbury Borough, York Co., Pa.	Withdrawal of up to 0.1 MGD from Production Well K.	Approve as per below.
--------------------------------	---	---	--------------------------

The applicant shall comply with water conservation requirements as per Section 803.63 and reporting requirements as per Section 803.62 of the SRBC Project Review Regulations.

Village of Earl- ville 19890502	Earlville Vil- lage, Madison Co., NY.	Withdrawal of up to 0.30 MGD from Wells K12-1 and K12-2.	Approve as per below.
---------------------------------------	---	--	--------------------------

The applicant shall comply with water conservation requirements as per Section 803.63 and reporting requirements as per Section 803.62 of the SRBC Project Review Regulations.

East Hempfield Twp. Mun. Auth. 19890503	East Hempfield Twp., Lancaster Co., Pa.	Withdrawal of up to 1.44 MGD from Well 8.	Approve as per below.
---	---	--	--------------------------

The applicant shall comply with water conservation requirements as per Section 803.63 and reporting requirements as per Section 803.62 of the SRBC Project Review Regulations.

State College Borough Water Auth. 19890504	Ferguson Twp., Centre Co., Pa.	Withdrawal of up to 1.008 MGD from Wells 55 and 57.	Approve as per below.
--	-----------------------------------	---	--------------------------

The applicant shall comply with water conservation requirements as per Section 803.63 and reporting requirements as per Section 803.62 of the SRBC Project Review Regulations.

* The Commission reserves the right, based upon new findings, to reopen any project docket and make additional orders that may be necessary to mitigate or avoid adverse impacts or otherwise to protect the public health, safety or welfare. Commission approval confers no property rights upon project sponsors. Commission approval does not obviate the need to obtain any other signatory permit or approval that may be applicable to the project.

ApplicantLocationTypeActionPROJECTS REQUIRING COMMISSION ACTION:*(Continued)Susquehanna River Basin Commission (Continued)

Foster Wheeler Broome Co., Inc. 19890505	Town of Kirkwood, Broome Co., NY	Consumptive use of 0.0755 MGD by the Broome County Resource Recovery Facility.	Approve as per Attachment A.
Heidelberg Twp. Mun. Auth. 19820602	Heidelberg Twp., Lebanon Co., Pa.	Withdrawal of up to 0.115 MGD from Well No. 5.	Approve as per below.

Project was originally approved by the SRBC on June 10, 1982. Applicant has not submitted a conservation plan or annual monitoring reports as required by Section 803.62 of the SRBC Project Review Regulations. The applicant has stated that they are a small system and have a master meter that records the combined flow from Well 5 and their Well 3. They presently have no means of measuring flows from Well 5 only. Also, they have no means of measuring water levels in Well 3 or Well 5, but they do measure levels in Well 4, which is nearby. The applicant has expressed a desire to comply with SRBC conservation and reporting requirements. In light of the above, annual monitoring reports submitted to the SRBC shall contain the following: 1) weekly pumping records for Wells 3 and 5 combined, 2) copies of water quality testing meeting U.S. EPA and Pa. DER Safe Drinking Water Requirements, and 3) weekly water level readings from Well 4. A conservation plan shall be submitted to the SRBC by August 1, 1989.

Wood-Metal Industries, Inc. 19890506	Kreamer, Middlecreek Twp., Snyder Co., Pa.	Consumptive use of 0.034 MGD for wood-burning cogeneration facility.	Deferred.
--	---	--	-----------

The consumptive use of water shall not exceed 20,000 gpd when the streamflow at the USGS Penns Creek gage at Penns Creek, Pa. equals or is anticipated to equal the SRBC's low flow criterion as defined in Section 803.61(c)(i) of the SRBC Project Review Regulations.

Pa. Dept. of Environmental Resources

Pa.-American Water Co.-Capitol Div. East 19890507	South Hanover Twp., Dauphin Co., Pa.	Withdrawal of 5 MGD from Manada Creek and up to 7 MGD from Swatara Creek with a maximum with- drawal limited to 11 MGD.	Approve.
--	--	--	----------

* The Commission reserves the right, based upon new findings, to reopen any project docket and make additional orders that may be necessary to mitigate or avoid adverse impacts or otherwise to protect the public health, safety or welfare. Commission approval confers no property rights upon project sponsors. Commission approval does not obviate the need to obtain any other signatory permit or approval that may be applicable to the project.

Applicant

Location

Type

PROJECTS NOT REQUIRING COMMISSION ACTION:**

U.S. Army Corps of Engineers

Pa. Dept. of Transportation 19890508	Mill Creek, Laurel Run, and Coal Brook, City of Wilkes-Barre, Luzerne Co., Pa.	Relocate 1,360' of Laurel Run, 1,070' of Coal Brook, widen flood plain at confluence of Laurel Run and Mill Creek, install culverts on Laurel Run and Coal Brook, and fill about 7.7 acres of wetlands. On- site wetland replacement is proposed.
Pa. Fish Commission 19890509	Spring Creek, Benner Twp., Centre Co., Pa.	Reshape and place fill in existing abandoned fish hatchery ponds.
Donald Ferrario 19890510	Wetland area adjacent to Little Wysox Creek, Wysox Twp., Bradford Co., Pa.	Place fill in 4 acres of wetland.
<u>Pa. Dept. of Environmental Resources</u>		
St. Clairsville Area Water Corp. 19890511	King Twp., Bedford Co., Pa.	Withdrawal of up to 0.02 MGD combined, from Springs 1, 2, 3, and 4.

** Provided all signatory procedures are followed and there are no changes in the proposed projects as originally presented to the Commission.