



SUSQUEHANNA RIVER BASIN COMMISSION

4423 North Front Street • Harrisburg, Pennsylvania 17110-1788

Phone (717) 238-0423 • Fax (717) 238-2436

Web <http://www.srbc.net>

Minor Modification Application Summary

Source Name: 20110619 SW-3

SRBC Pending No.: 2025-077

This summary is only a portion of the application materials and is meant to provide general information about the proposed project.

Minor Modification

1.0 Application Background

This section requests pertinent information related to the application that is being submitted.

1.1 Project Sponsor

Company Name: New Morgan Landfill Company, Inc. - Conestoga Landfill

Mailing Address Line 1: 420 Quarry Road

Mailing Address Line 2:

City: Morgantown

State: PA

ZIP Code: 19643

Contact Person:

First Name: Chris

Last Name: Paoletti

Title: Operations Manager

Telephone: (610) 273-6567

Fax:

Mobile:

E-mail: cpaoletti@republicservices.com

1.2 Existing Approval Number

Approval Type: Docket

Approval Number: 20110619

1.3 Requested Minor Modification Type

Adjustments to a term of an approval to align the approval with a member jurisdiction approval or another docket approval by the Commission.

Addendums

Minor Modification Application
Section 2.1 Brief Project Description
New Morgantown Landfill
dba Conestoga Landfill
Docket No. 20110619

Section 2.1 Brief Project Description

New Morgantown Landfill Company, Inc. dba Conestoga Landfill is an active PADEP permitted Municipal Solid Waste Landfill which has been operating since 1994 in New Morgantown Borough, Berks County, Pennsylvania.

The Conestoga Landfill is composed of inactive and active disposal cells, leachate treatment plant, maintenance shop, tire wash, and an administrative office. The site currently maintains four Commission Dockets:

1. Surface Water Withdrawal
2. Consumptive Use
3. Groundwater Withdrawal (Supply Well SW-3)
4. Groundwater Withdrawal (Supply Well SW-4)

The Conestoga Landfill is requesting a minor modification to Commission Docket No. 20110619, which authorized the withdrawal of 0.008 mgd from the Well SW-3 and a combined withdrawal limit of 0.008 mgd from Well SW-3 and the Maintenance Shop Well. The commission docket's term ends on June 22, 2026 and Conestoga is requesting a modification to adjust the term of the approval to align it with Commission Docket 20061206-1 and extending the term to December 5, 2031.